

Supplement to “A statistical method to validate reconstructions of late-glacial relative sea level”

Milena Latinović^{1,2}, Volker Klemann¹, Christopher Irrgang¹, Meike Bagge¹, Sebastian Specht^{1,3}, and Maik Thomas^{1,2}

¹GFZ German Research Centre for Geosciences, Potsdam, Germany

²Free University, Berlin, Germany

³University of Potsdam, Potsdam, Germany

Correspondence: Milena Latinović (milena.latinovic@gfz-potsdam.de)

Copyright statement. TEXT

The list of indicators were provided in the NRCAN database of sea-level indicators compiled by Art Dyke. Its content is stored in a relational database system at GFZ Potsdam. The ¹⁴C ages were recalibrated using OxCal, where for most datings a correction for $\delta^{13}\text{C}$ and reservoir effect was applied. In addition to the range and median given here, also the probability distribution of each individual dating was extracted. The tables present only the information relevant for the current study, whereas in the database 23 attributes are given for each indicator. IDs marked with an asterisk (in Table 1) are excluded due to substrat feeding. Samples, for which no reference is given, could not be retrieved from literature provided in the database and, so, have to be interpreted as unpublished.

Table 1: List of considered shells of species *Macoma balthica*:

Id	Curve	Location [°E/°N]	Lab-code	¹⁴ C age [a BP]	Elev. [m]	cal. age [a BP]			Reference
						min.	med.	max.	
5079*	Eastmain - Fort Rupert, QC	-79.25/51.5667	GSC-3121	1660 ± 200	0.3	1182	1592	2054	
5080*	Eastmain - Fort Rupert, QC	-78.5167/52.2	GSC-3415	70 ± 100	-0.5	0	133	288	
5097*	Nottaway & Harricana Rivers, QC	-79.2833/50.7667	GSC-1492	4770 ± 140	60	5053	5490	5886	Skinner (1973)
5110*	Mattagami, ON	-80.575/50.5583	GSC-1396	4830 ± 130	51	5308	5556	5894	
5154	Churchill, MB	-94.1433/59.7517	GSC-4507	2380 ± 100	7	2158	2460	2737	Dredge and Nixon (1992)

Table 2: List of considered shells of species *Portlandia arctica*:

Id	Curve	Location [°E/°N]	Lab-code	¹⁴ C age [a BP]	Elev. [m]	cal. age [a BP]			Reference
						min.	med.	max.	
4720	Deception Bay, QC	-74.275/62.12	AA-14686	8315 ± 65	52	9126	9326	9474	Bruneau and Gray (1997)
4721	Deception Bay, QC	-74.275/62.12	AA-17260	8385 ± 80	52	9140	9390	9533	Bruneau and Gray (1997)
4722	Deception Bay, QC	-74.275/62.12	AA-17261	8645 ± 80	52	9495	9632	9888	Bruneau and Gray (1997)
4723	Deception Bay, QC	-74.275/62.12	AA-17262	9485 ± 170	52	10297	10794	11210	Bruneau and Gray (1997)
4724	Deception Bay, QC	-74.275/62.12	AA-17263	11010 ± 130	58	12700	12892	13099	Bruneau and Gray (1997)
4725	Deception Bay, QC	-74.0117/62.3083	AA-7561	8815 ± 80	107	9609	9874	10170	Gray et al. (1993); Bruneau and Gray (1997)
4726	Deception Bay, QC	-74.275/62.12	AA-7562	10725 ± 100	52	12424	12654	12798	Gray et al. (1993); Bruneau and Gray (1997)
4727	Deception Bay, QC	-74.275/62.12	AA-8393	8925 ± 100	58	9694	10014	10244	Bruneau and Gray (1997)
4728	Deception Bay, QC	-74.275/62.12	AA-8394	8475 ± 110	58	9138	9467	9694	Bruneau and Gray (1997)
4729	Deception Bay, QC	-74.275/62.12	AA-8395	8595 ± 120	58	9308	9612	10124	Bruneau and Gray (1997)
4730	Deception Bay, QC	-74.2667/62.1167	Beta-11121	9400 ± 220	52	10170	10680	11254	Bruneau and Gray (1997); Gray and Lauriol (1985)
4738	Deception Bay, QC	-74.2667/62.1167	Beta-13861	9610 ± 140	58	10562	10938	11261	Gray and Lauriol (1985); Bruneau and Gray (1997)
4756	Deception Bay, QC	-74.2/62.2167	Beta-19853	9290 ± 180	114	10158	10519	11159	Gray and Lauriol (1985); Bruneau and Gray (1997)
4760	Deception Bay, QC	-74.2667/62.1167	Beta-29085	9535 ± 90	58	10588	10880	11164	Bruneau and Gray (1997)
4764	Deception Bay, QC	-74.2667/62.1167	GSC-4335	8510 ± 230	58	9008	9524	10182	Bruneau and Gray (1997)
4783	Deception Bay, QC	-74.05/62.3167	TO-1274	8800 ± 70	107	9600	9844	10156	Bruneau and Gray (1991, 1997)
4784	Deception Bay, QC	-73.8/62.4167	TO-1275	8690 ± 70	100	9535	9664	9900	Bruneau and Gray (1991, 1997)
4785	Deception Bay, QC	-74.2667/62.1167	TO-1397	9000 ± 60	58	9916	10172	10250	Bruneau and Gray (1991, 1997)
4848	Douglas Harbour, QC	-73.05/62.15	TO-1738	8060 ± 70	91	8648	8944	9234	Gray et al. (1993)

Table 3: List of considered shells of species *Mytilus edulis*:

Id	Curve	Location	Lab-code	¹⁴ C age	Elev. [m]	cal. age [a BP]			Reference
		[°E/°N]		[a BP]		min.	med.	max.	
4574	Ungava Bay W, QC	-70.0833/59.25	Gx-4738	6755 ± 180	87	7320	7628	7953	Gray et al. (1980)
4589	Ungava Bay W, QC	-70.0833/59.25	Gx-5308	6920 ± 205	85	7434	7775	8162	
4758	Deception Bay, QC	-74.5/62.1	Beta-19855	3710 ± 100	1.7	3830	4063	4408	
4763	Deception Bay, QC	-74.2667/62.1333	GSC-4319	6800 ± 80	60	7508	7647	7824	
4818	Ungava Peninsula NW, QC	-77.25/61.5961	GSC-5312	6110 ± 80	73	6758	6994	7238	
4819	Ungava Peninsula NW, QC	-78.0903/62.5772	GSC-5322	2770 ± 50	22	2762	2867	2978	Andrews and Falconer (1969)
4820	Ungava Peninsula NW, QC	-77.8381/61.7294	GSC-5344	3740 ± 80	36	3888	4102	4404	
4822	Ungava Peninsula NW, QC	-78.1156/62.1817	GSC-5399	3580 ± 70	32	3694	3882	4084	
4864	Ottawa Islands, NU	-79.8233/59.2833	GSC-1024	6450 ± 140	33	7018	7357	7592	
4896	C Smith-Povungnituk, QC	-77.2667/60.2167	Gif-1818	3400 ± 80	35	3454	3654	3846	
4898	C Smith-Povungnituk, QC	-77.325/60.0583	GSC-1588	3380 ± 130	35	3358	3638	3976	
4926	Inukjuak, QC	-78.5/58.25	UQ-955	4800 ± 100	3	5312	5520	5734	
4930	Lac Guillaume-Delisle, QC	-76.5/56.2667	GSC-1261	6430 ± 150	172	6996	7337	7590	
4931	Lac Guillaume-Delisle, QC	-76.5/56.2833	GSC-1287	6000 ± 160	137	6492	6860	7251	
4933	Lac Guillaume-Delisle, QC	-76.4833/56.2833	GSC-1328	6390 ± 180	77	6883	7289	7614	
4934	Lac Guillaume-Delisle, QC	-76.5/56.45	GSC-1364	6230 ± 220	154	6644	7106	7566	Walcott (1972)
4972	Poste-de-la-Baleine, QC	-77.3167/55.58	GSC-2070	3360 ± 60	58	3450	3600	3819	Hillaire-Marcel (1976); Walcott and Craig (1975)
4973	Poste-de-la-Baleine, QC	-77.3083/55.575	GSC-2074	1790 ± 60	22	1565	1714	1864	Hillaire-Marcel (1976); Walcott and Craig (1975)
4974	Poste-de-la-Baleine, QC	-77.3017/55.5783	GSC-2129	2030 ± 60	29	1867	1991	2146	Walcott and Craig (1975)
4975	Poste-de-la-Baleine, QC	-77.3033/55.58	GSC-2348	2760 ± 80	44	2746	2872	3068	Walcott and Craig (1975)
4984	Poste-de-la-Baleine, QC	-77.3333/55.6667	Qu-1064	890 ± 100	13.31	662	816	980	Allard and Tremblay (1983)
4988	Poste-de-la-Baleine, QC	-77.6333/55.3667	Qu-1068	490 ± 80	8.89	318	522	655	Allard and Tremblay (1983)
4989	Poste-de-la-Baleine, QC	-77.6333/55.3667	Qu-1081	580 ± 70	13.21	512	593	666	Allard and Tremblay (1983)
4995	Poste-de-la-Baleine, QC	-77.4833/55.4833	Qu-1087	1680 ± 390	21.43	832	1661	2698	Allard and Tremblay (1983)
5005	Poste-de-la-Baleine, QC	-77.6333/55.3667	Qu-1097	2470 ± 100	31.71	2340	2549	2754	Allard and Tremblay (1983)
5006	Poste-de-la-Baleine, QC	-77.6333/55.3667	Qu-1098	2230 ± 100	29.94	1950	2226	2674	Allard and Tremblay (1983)
5007	Poste-de-la-Baleine, QC	-77.6333/55.3667	Qu-1099	2430 ± 100	28.91	2214	2516	2750	Allard and Tremblay (1983)
5008	Poste-de-la-Baleine, QC	-77.6333/55.3667	Qu-1100	2026 ± 100	27.26	1737	1996	2306	Allard and Tremblay (1983)
5009	Poste-de-la-Baleine, QC	-77.6333/55.3667	Qu-1101	2260 ± 100	26.57	1994	2256	2694	Allard and Tremblay (1983)
5010	Poste-de-la-Baleine, QC	-77.6333/55.3667	Qu-1102	2020 ± 100	23.69	1730	1988	2304	Allard and Tremblay (1983)
5011	Poste-de-la-Baleine, QC	-77.6333/55.3667	Qu-1103	2050 ± 100	21.94	1818	2026	2310	Allard and Tremblay (1983)
5012	Poste-de-la-Baleine, QC	-77.6333/55.3667	Qu-1104	1760 ± 90	20.38	1419	1680	1890	Allard and Tremblay (1983)
5013	Poste-de-la-Baleine, QC	-77.6333/55.3667	Qu-1105	1680 ± 90	18.8	1396	1590	1816	Allard and Tremblay (1983)
5014	Poste-de-la-Baleine, QC	-77.6333/55.3667	Qu-1106	1490 ± 90	17.26	1264	1398	1594	Allard and Tremblay (1983)
5029	Poste-de-la-Baleine, QC	-77.25/55.75	Qu-1288	2860 ± 100	34.25	2764	2998	3316	Allard and Tremblay (1983)

Id	Curve	Location [°E/°N]	Lab-code	¹⁴ C age [a BP]	Elev. [m]	cal. age [a BP]			Reference
						min.	med.	max.	
5031	Poste-de-la-Baleine, QC	-77.25/55.75	Qu-1290	3480 ± 100	52.3	3480	3756	4066	Allard and Tremblay (1983)
5036	Poste-de-la-Baleine, QC	-77.25/55.75	Qu-1295	2410 ± 90	31.5	2213	2494	2742	Allard and Tremblay (1983)
5037	Poste-de-la-Baleine, QC	-77.25/55.75	Qu-1296	2510 ± 80	32	2364	2576	2748	Allard and Tremblay (1983)
5039	Poste-de-la-Baleine, QC	-77.25/55.75	Qu-1298	670 ± 80	4.4	524	628	735	Allard and Tremblay (1983)
5050	Fort George, QC	-77.6719/53.5511	GSC-1959	6500 ± 90	178	7264	7408	7566	Vincent (1977)
5115	Mattagami, ON	-82.35/50.1917	GSC-1499	6620 ± 240	100	7004	7504	7956	Skinner (1973)
5127	C Henrietta Maria, ON	-82.6/54.8333	I-3909	2310 ± 200	40.6	1872	2353	2792	Webber et al. (1970)
5130	C Henrietta Maria, ON	-82.3/54.8667	I-3983	1430 ± 190	22.6	954	1352	1804	Webber et al. (1970)
5139	Severn River, ON	-86.85/55.4167	GSC-1561	5940 ± 140	88	6466	6782	7160	
5140	Severn River, ON	-86.9433/55.65	GSC-1567	3270 ± 190	40	2998	3510	3984	
5150	Churchill, MB	-94.0806/58.7417	GSC-261	3040 ± 130	23	2876	3219	3555	Dredge and Nixon (1992)
5153	Churchill, MB	-94.9667/58.8917	GSC-3851	4000 ± 90	30	4183	4482	4820	Dredge and Nixon (1992)
5155	Churchill, MB	-93.8408/58.7458	GSC-682	1240 ± 130	10.5	920	1152	1398	Craig (1969); Dredge and Nixon (1992)
5156	Churchill, MB	-93.8431/58.7028	GSC-683	2320 ± 130	27	2055	2366	2735	Craig (1969); Dredge and Nixon (1992)
5157	Churchill, MB	-93.95/58.7597	GSC-684	1020 ± 140	6.5	688	944	1254	Craig (1969); Dredge and Nixon (1992)
5158	Churchill, MB	-93.8111/58.6189	GSC-685	3180 ± 140	38.5	3002	3396	3810	Dredge and Nixon (1992)
5159	Churchill, MB	-93.9806/58.7569	GSC-723	2120 ± 130	22	1740	2108	2420	Craig (1969); Dredge and Nixon (1992)
5163	Churchill, MB	-94.275/59.75	Gx-1065	3190 ± 80	38	3212	3414	3592	Dredge and Nixon (1992)
5186	Nelson River, MB	-92.75/56.25	GSC-1955	6610 ± 110	75	7310	7502	7674	Lowdon et al. (1977); Dredge and Nixon (1992); Klassen (1986)

Table 4: List of considered shells of species *Hiatella arctica*:

Id	Curve	Location	Lab-code	¹⁴ C age	Elev. [m]	cal. age [a BP]			Reference
		[°E/°N]		[a BP]		min.	med.	max.	
4570	Ungava Bay W, QC	-69.9833/58.65	DIC-1516	4770 ± 60	23	5324	5504	5602	
4603	Akpatok Island, NU	-67.85/60.5	Beta-34755	7240 ± 100	0	7866	8070	8312	
4604	Akpatok Island, NU	-67.85/60.5	Beta-34754	6860 ± 100	32	7565	7709	7931	
4605	Akpatok Island, NU	-67.85/60.5	Beta-34753	6790 ± 90	3	7490	7642	7826	
4606	Akpatok Island, NU	-67.85/60.5	Beta-34756	6470 ± 110	48	7174	7378	7570	
4642	Diana Island, QC/NU	-69.925/61.0333	I-9246	7220 ± 115	52	7834	8050	8320	Gray et al. (1993, 1980); Gray and Lauriol (1985)
4698	George River, QC	-65.975/58.7	UL-263	6020 ± 230	24	6404	6885	7416	Allard et al. (1989)
4737	Deception Bay, QC	-74.2667/62.1167	Beta-13860	6980 ± 110	97	7616	7812	7999	Lauriol and Gray (1987)
4739	Deception Bay, QC	-74.2667/62.1167	Beta-19004	5910 ± 120	11	6439	6741	7152	
4774	Deception Bay, QC	-73.7/62.4333	I-2444	6580 ± 125	45	7264	7477	7670	
4776	Deception Bay, QC	-74.75/62.15	N-283	6980 ± 150	84	7570	7816	8155	Matthews (1967)
4789	Cape Weggs, QC	-72.9/62.8333	I-2444	6580 ± 125	44	7264	7477	7670	
4791	Sugluk, QC	-75.6333/62.2167	Beta-11127	6990 ± 130	95	7580	7822	8044	
4801	Sugluk, QC	-77.75/62.45	Gx-12035	6920 ± 100	28	7591	7762	7939	
4803	Sugluk, QC	-76.3833/62.3667	Gx-12037	7275 ± 190	85	7706	8103	8424	
4806	Sugluk, QC	-75.7/62.2333	I-729	7650 ± 250	111	7968	8500	9120	Matthews (1966)
4807	Sugluk, QC	-76.05/62.7667	L-702A	7050 ± 150	111	7614	7876	8170	Matthews (1967); Lauriol and Gray (1987)
4817	Ungava Peninsula NW, QC	-77.8792/62.1403	GSC-5310	7400 ± 110	98	8008	8220	8401	
4821	Ungava Peninsula NW, QC	-77.0739/61.8706	GSC-5353	6790 ± 80	67	7500	7639	7818	
4828	Charles Island, NU	-74.1833/62.6333	GSC-4756	7030 ± 100	60	7666	7854	8024	
4841	Douglas Harbour, QC	-73.1833/62.0667	GSC-5165	5520 ± 100	13	6010	6320	6532	
4842	Douglas Harbour, QC	-72.9833/62.1667	GSC-5178	4500 ± 100	11	4859	5144	5449	
4889	Southampton I, NU	-83.1833/64.1833	S-12	3670 ± 270	32	3397	4040	4820	
4899	C Smith-Povungnituk, QC	-78.4639/60.75	GSC-4332	6850 ± 110	86	7512	7702	7932	Lauriol and Gray (1987); Gray et al. (1993)
4905	C Smith-Povungnituk, QC	-76.7667/60.05	UQ-830	3100 ± 80	30	3073	3298	3478	
4910	C Smith-Povungnituk, QC	-78.4167/60.75	UQ-956	8700 ± 140	30	9490	9754	10166	Gray and Lauriol (1985)
4911	C Smith-Povungnituk, QC	-78.4167/60.75	UQ-957	6000 ± 100	35	6639	6850	7158	
4924	Inukjuak, QC	-78.5/58.25	UQ-1757	2000 ± 150	25	1618	1969	2332	
4925	Inukjuak, QC	-78.5/58.25	UQ-813	4270 ± 100	73	4524	4834	5272	
4929	Lac Guillaume-Delisle, QC	-76.5/56.2667	GSC-1238	6720 ± 150	175	7324	7592	7922	Walcott (1972); Hillaire-Marcel (1976)
4932	Lac Guillaume-Delisle, QC	-76.4333/56.35	GSC-1326	4070 ± 140	24	4150	4577	4954	Walcott (1972); Hillaire-Marcel (1976)
4935	Lac Guillaume-Delisle, QC	-76.4167/56.45	GSC-1725	6000 ± 210	153	6400	6862	7408	Walcott (1972)
4938	Lac Guillaume-Delisle, QC	-76.7/55.95	GSC-595	6420 ± 240	54	6750	7303	7746	Hillaire-Marcel (1976)
5051	Fort George, QC	-77.5/53.5833	GSC-2239	7290 ± 90	175	7957	8108	8317	Hardy (1977)
5053	Fort George, QC	-77.7167/53.6167	GSC-2244	6810 ± 80	168	7513	7655	7830	Hardy (1976)

Id	Curve	Location	Lab-code	¹⁴ C age	Elev. [m]	cal. age [a BP]			Reference
		[°E/°N]		[a BP]		min.	med.	max.	
5058	Fort George, QC	-77.9667/53.7167	QU-119	5560 ± 130	123	6012	6361	6656	Hardy (1977)
5059	Fort George, QC	-78.7528/53.7403	QU-121	4110 ± 120	37	4249	4630	4948	Hardy (1977)
5061	Fort George, QC	-77.5667/53.35	QU-124	7750 ± 180	162.1	8189	8592	9022	Hardy (1977)
5066	Fort George, QC	-77.8667/53.7	QU-245	7110 ± 180	166	7619	7939	8311	Hardy (1977)
5067	Fort George, QC	-77.6667/53.5778	QU-246	7220 ± 330	171	7434	8070	8774	
5068	Fort George, QC	-77.8667/53.7333	QU-247	6910 ± 350	183	7029	7784	8514	Hardy (1977)
5070	Fort George, QC	-77.5/53.4667	QU-249	6660 ± 190	164	7178	7542	7931	Hardy (1977)
5072	Fort George, QC	-78.3333/53.6667	QU-256	5080 ± 180	99	5472	5838	6276	Hardy (1977)
5077	Eastmain - Fort Rupert, QC	-77.4306/51.47	GSC-2135	7360 ± 100	205	7998	8178	8374	Vincent (1977)
5086	Eastmain - Fort Rupert, QC	-77.1333/52.2167	QU-252	7030 ± 210	222	7511	7869	8311	Hardy (1977)
5088	Eastmain - Fort Rupert, QC	-77.0833/52.3083	QU-254	7140 ± 210	218	7610	7973	8372	Hardy (1977)
5089	Eastmain - Fort Rupert, QC	-77.9167/52.4167	QU-258	7440 ± 210	200	7826	8254	8724	Hardy (1977)
5107	Mattagami, ON	-81.65/50.275	GSC-1241	7160 ± 160	135	7686	7988	8318	Skinner (1973)
5108	Mattagami, ON	-82.8958/50.3	GSC-1309	7630 ± 170	112	8054	8449	8976	Skinner (1973)
5113	Mattagami, ON	-82.8536/50.2167	GSC-1436	7280 ± 150	102	7830	8108	8392	Skinner (1973)
5114	Mattagami, ON	-82.375/50.3	GSC-1489	6890 ± 220	86	7334	7752	8182	Skinner (1973)
5117	Mattagami, ON	-84.3/50.2167	GSC-897	7760 ± 160	105	8214	8594	9012	Craig (1969); Skinner (1973)
5118	Mattagami, ON	-84.2333/50.2167	GSC-915	7540 ± 140	99	8032	8343	8597	Craig (1969); Skinner (1973)
5138	Severn River, ON	-88.2667/54.4833	GSC-877	7400 ± 140	137	7952	8216	8450	Craig (1969)
5149	Churchill, MB	-95.3833/59.3	GSC-2579	6790 ± 100	85	7472	7644	7841	Dredge and Nixon (1992)
5151	Churchill, MB	-95.8333/58.55	GSC-3070	7770 ± 140	106	8356	8595	8996	Dredge and Nixon (1992)
5170	Nelson River, MB	-94/56.5417	BGS-711	6280 ± 180	67	6750	7171	7557	Nielsen et al. (1986); Nielsen and Dredge (1982); Dredge and Nixon (1992)
5171	Nelson River, MB	-94.2/56.43	BGS-712	6990 ± 130	82	7580	7822	8044	Nielsen et al. (1986); Nielsen and Dredge (1982); Dredge and Nixon (1992)
5172	Nelson River, MB	-94.2167/56.42	BGS-713	6750 ± 150	90	7334	7619	7934	Nielsen et al. (1986); Nielsen and Dredge (1982); Dredge and Nixon (1992)
5173	Nelson River, MB	-94.0833/56.5333	BGS-714	6900 ± 150	72	7492	7752	8008	Nielsen et al. (1986); Nielsen and Dredge (1982); Dredge and Nixon (1992)
5174	Nelson River, MB	-94/56.5417	BGS-791	6760 ± 100	67	7436	7619	7816	Nielsen et al. (1986); Nielsen and Dredge (1982); Dredge and Nixon (1992)
5176	Nelson River, MB	-94.0833/56.5333	BGS-798	6900 ± 100	76	7584	7746	7933	Nielsen et al. (1986); Nielsen and Dredge (1982); Dredge and Nixon (1992)
5178	Nelson River, MB	-94.2167/56.4167	BGS-813	8200 ± 300	90	8414	9132	9888	Nielsen et al. (1986); Dredge and Nixon (1992)

Id	Curve	Location	Lab-code	¹⁴ C age	Elev. [m]	cal. age [a BP]			Reference
		[°E/°N]		[a BP]		min.	med.	max.	
5179	Nelson River, MB	-94.2167/56.4167	BGS-814	7300 ± 200	80	7714	8125	8510	Nielsen et al. (1986); Dredge and Nixon (1992)
5180	Nelson River, MB	-94.175/56.435	BGS-815	7050 ± 150	90	7614	7876	8170	Nielsen et al. (1986); Dredge and Nixon (1992)
5187	Nelson River, MB	-94.08/56.52	GSC-2294	7030 ± 170	90	7570	7862	8189	Teller (1980); Dredge and Nixon (1992); Klassen (1986)
5189	Nelson River, MB	-94.0167/56.53	GSC-3326	7180 ± 70	72	7864	8001	8169	Nielsen and Dredge (1982); Dredge and Nixon (1992)
5190	Nelson River, MB	-94.12/56.53	GSC-3367	6750 ± 80	67	7464	7608	7748	Nielsen and Dredge (1982); Dredge and Nixon (1992)
5194	Nelson River, MB	-93.6083/56.75	GSC-3904	7250 ± 80	15	7932	8076	8294	Dredge and Nixon (1992)
5196	Nelson River, MB	-92.6333/57.0267	GSC-3921	7020 ± 100	16	7665	7846	8018	Dredge and Nixon (1992)
5200	Nelson River, MB	-93.7778/56.6917	GSC-4725	6810 ± 80	62	7513	7655	7830	
5201	Nelson River, MB	-93.7778/56.6903	GSC-4746	7290 ± 80	45	7960	8104	8310	
5202	Nelson River, MB	-93.8083/56.6903	GSC-4833	6710 ± 110	64	7422	7578	7788	
5204	Nelson River, MB	-93.2833/56.0389	GSC-878	7570 ± 140	114	8037	8376	8640	Dredge and Nixon (1992)
5216	Baker Lake, NU	-94.8/62.8167	GSC-1016	6570 ± 140	122	7177	7467	7688	
5217	Baker Lake, NU	-96.9667/64.05	GSC-1083	5970 ± 140	96	6479	6821	7171	
5219	Baker Lake, NU	-96.9833/64.05	GSC-1164	5910 ± 140	101	6412	6744	7155	
5220	Baker Lake, NU	-94.0708/63.5575	GSC-2042	6520 ± 70	120	7305	7433	7566	
5223	Baker Lake, NU	-96.05/64.5167	GSC-299	5480 ± 150	90	5930	6266	6618	
5224	Baker Lake, NU	-95.6667/63.7667	GSC-439	5900 ± 130	76	6408	6730	7154	
5225	Baker Lake, NU	-96.05/64.3167	GSC-725	5220 ± 140	6	5663	5998	6286	
5245	Eskimo Point, NU	-96.4653/61.9333	GSC-5234	6770 ± 120	110	7430	7631	7850	

Data availability. The data were provided by Art Dyke, NRCAN

Competing interests. There are no competing interests at present.

Acknowledgements. This research is funded by PalMod project. PalMod is supported by the Federal Ministry of Education and Science (BMBF) to understand climate system dynamics and variability during the last glacial cycle. Furthermore, this study benefited a lot from
5 discussions inside PALSE 2. We thank Art Dyke for providing his database of sea level indicators.

References

- Allard, M. and Tremblay, G.: La dynamique littorale des îles Manitounuk durant l'Holocène, *Z. Geomorphol.*, suppl. 47, 61–95, 1983.
- Allard, M., Fournier, A., Gahé, E., and Seguin, M. K.: Le Quaternaire de la côte sud-est de la baie d'Ungava, Québec nordique, *Geogr. Phys. Quat.*, 43, 325–326, 1989.
- 5 Andrews, J. T. and Falconer, G.: Late glacial and post-glacial history and emergence of the Ottawa Islands, Hudson Bay, Northwest Territories: evidence on the deglaciation of Hudson Bay, *Can. J. Earth Sci.*, 6, 1263–1276, 1969.
- Bruneau, D. and Gray, J. T.: Preliminary Map 11-1990, GSC Map 11-1990, Geological Survey of Canada, Ottawa, <https://doi.org/10.4095/132443>, 1991.
- Bruneau, D. and Gray, J. T.: Écoulements glaciaires et déglaciation hâtive (ca 11 ka BP) du nord-est de la péninsule d'Ungava, Québec, Canada, *Can. J. Earth Sci.*, 34, 1089–1100, <https://doi.org/10.1139/e17-088>, 1997.
- 10 Craig, B. G.: Late-glacial and post-glacial history of the Hudson Bay region, in: *Earth Science Symposium on Hudson Bay*, edited by Hood, P. J., GSC Paper 68-53, pp. 63–77, Geological Survey of Canada, Ottawa, <https://doi.org/10.4095/102944>, 1969.
- Dredge, L. A. and Nixon, F. M.: Glacial and environmental geology of northeastern Manitoba, Geological Survey of Canada, Memoir 432, Geological Survey of Canada, Ottawa, <https://doi.org/10.4095/133546>, 1992.
- 15 Gray, J., de Boutray, B., Hillaire-Marcel, C., and Lauriol, B.: Postglacial Emergence of the West Coast of Ungava Bay, Quebec, *Arctic Alpine Res.*, 12, 19–30, <https://doi.org/10.2307/1550587>, 1980.
- Gray, J., Lauriol, B., Bruneau, D., and Ricard, J.: Postglacial emergence of Ungava Peninsula, and its relationship to glacial history, *Can. J. Earth Sci.*, 30, 1976–1996, <https://doi.org/10.1139/e93-147>, 1993.
- Gray, J. T. and Lauriol, B.: Dynamics of the Late Wisconsin Ice Sheet in the Ungava Peninsula Interpreted from Geomorphological Evidence, *Arctic Alpine Res.*, 17, 289, <https://doi.org/10.2307/1551019>, 1985.
- 20 Hardy, B. G.: Contribution à l'étude géomorphologique de la portion québécoise de la Baie de James, Ph.D. thesis, McGill University, Montreal, 1976.
- Hardy, L.: La déglaciation et les épisodes lacustre et marin sur le versant québécois des basses terres de la baie de James, *Geogr. Phys. Quat.*, 31, 261, <https://doi.org/10.7202/1000277ar>, 1977.
- 25 Hillaire-Marcel, C.: La déglaciation et le relèvement isostatique sur la côte est de la baie d'Hudson, *Cah. Geogr. Quebec*, 20, 185–220, 1976.
- Klassen, R. W.: Surficial geology of north-central Manitoba, Geological Survey of Canada, Memoir 419, Geological Survey of Canada, Ottawa, <https://doi.org/10.4095/123656>, 1986.
- Lauriol, B. and Gray, J. T.: The Decay and Disappearance of the Late Wisconsin Ice Sheet in the Ungava Peninsula, Northern Quebec, Canada, *Arctic Alpine Res.*, 19, 109, <https://doi.org/10.2307/1551245>, 1987.
- 30 Lowdon, J. A., Robertson, I. M., and Blake Jr., W.: Geological Survey of Canada radiocarbon dates XVII, Geological Survey of Canada, Paper 77-7, Geological Survey of Canada, Ottawa, https://doi.org/rsl_hudson, 1977.
- Matthews, B.: Radiocarbon dated postglacial land uplift in northern Ungava, Canada, *Nature*, 211, 1164–1166, 1966.
- Matthews, B.: Late Quaternary Land Emergence in Northern Ungava, Quebec, *Arctic*, 20, 176–202, <https://doi.org/10.14430/arctic3293>, 1967.
- 35 Nielsen, E. and Dredge, L. A.: Quaternary stratigraphy and geomorphology of a part of the lower Nelson River, Field Trip Guide 5, Geological Association of Canada, Winnipeg, 1982.

- Nielsen, E., Morgan, A. V., Morgan, A., Mott, R. J., Rutter, N. W., and Causse, C.: Stratigraphy, paleoecology, and glacial history of the Gillam area, Manitoba, *Can. J. Earth Sci.*, 23, 1641–1661, <https://doi.org/10.1139/e86-153>, 1986.
- Skinner, R. G.: Quaternary stratigraphy of Moose River basin, Ontario, Bulletin 225, Geological Survey of Canada, Ottawa, 1973.
- Teller, J. T.: Radiocarbon dates in Manitoba, Geological Report GR80-4, Manitoba Mineral Resources Division, iManitoba, 1980.
- 5 Vincent, J.-S.: Le quaternaire recent de la region du cours inferieur de la grande riviere, Quebec, Etude 76-19, Geological Survey of Canada, Ottawa, 1977.
- Walcott, R. I.: Late Quaternary vertical movements in eastern North America: quantitative evidence of glacio-isostatic rebound, *Rev. Geophys. Space Phys.*, 10, 849–884, 1972.
- Walcott, R. I. and Craig, B. G.: Uplift Studies, southeastern Hudson Bay, in: Report of activities part A, April to October 1974, Paper no. 10 75-1A, pp. 455–456, Geological Survey of Canada, Ottawa, <https://doi.org/10.4095/104621>, 1975.
- Webber, P. J., Richardson, J. W., and Andrews, J. T.: Post-glacial uplift and substrate age at Cape Henrietta Maria, southeastern Hudson Bay, Canada, *Can. J. Earth Sci.*, 7, 317–325, <https://doi.org/10.1139/e70-029>, 1970.