

BERICHTE

**aus dem Fachbereich Geowissenschaften
der Universität Bremen**

No. 258

**Ruhland, G.,
N. Alamo, W. Belokon., E. Gonzalez,
D. Hüttich, H. Kalweit, E. Kopiske,
M. Reuter, I. Rodriguez, M. Villagarcía**

**REPORT AND PRELIMINARY RESULTS OF
POSEIDON CRUISE 333
LAS PALMAS (SPAIN) – LAS PALMAS (SPAIN)
March 1st – March 10th, 2006**

Berichte, Fachbereich Geowissenschaften, Universität Bremen, No. 258,
32 pages, Bremen 2007



ISSN 0931-0800

The „Berichte aus dem Fachbereich Geowissenschaften“ are produced at irregular intervals by the Department of Geosciences, Bremen University.

They serve for the publication of experimental works, Ph.D.-theses and scientific contributions made by members of the department.

Reports can be ordered from:

Monika Bachur
Forschungszentrum Ozeanränder, RCOM
Universität Bremen
Postfach 330 440
D 28334 Bremen
Phone: (49) 421 218 - 65516
Fax: (49) 421 218 - 65515
e-mail: mbachur@uni-bremen.de

Citation:

Ruhland, G. and participants

Report and preliminary results of Poseidon cruise 333, Las Palmas – Las Palmas, 01.03.-10.03.2006.

Berichte, Fachbereich Geowissenschaften, Universität Bremen, No. 258, 32 pages, Bremen, 2006.

CONTENTS

1.	Participants	4
2.	Research Objectives	5
2.1	MERSEA.....	5
3.	Narrative of the Cruise	6
4.	Scientific Report.....	8
4.1	Equipment Development and Tests.....	8
4.1.1	DOLAN-SBU.....	8
4.2	Collection with Particle Traps.....	15
4.2.1	CI-19 (ESTOC)	15
4.3	Marine Chemistry.....	17
4.3.1	Objectives and scientific questions	17
4.3.2	Data	17
4.3.3	Methods	22
4.3.3.1	Water sampling	22
4.3.3.2	Analysis.....	23
4.3.3.2.1	Dissolved Oxygen	23
4.3.3.2.2	Nutrients	24
4.3.4	Preliminary results.....	24
5.	List of Stations	28
6.	Acknowledgements	31
7.	References	32

1. Participants R/V Poseidon Cruise 333

<u>Name</u>	<u>Domain</u>	<u>Institution</u>
Ruhland, Götz	Marine Geology (Chief Scientist)	MARUM
Alamo, Nauzet	Marine Chemistry	ICCM
Belokon, Walentin	Technician	MARUM
Gonzalez, Esther	Marine Chemistry	ICCM
Hüttich, Daniel	Technician	MARUM
Kalweit, Holger	Technician	MARUM
Kopiske, Eberhard	Technician	MARUM
Rodriguez, Ivan	Scientist	ULP
Villagarcía, Marimar, Dr.	Marine Chemistry	ICCM

Institutions

MARUM Zentrum für Marine Umweltwissenschaften der Universität Bremen, Leobener Str, 28359 Bremen, Germany

ICCM Instituto Canario de Ciencias Marinas, Apto. Correos 55, 35200 Telde de Gran Canaria, Spain

ULP Universidad de Las Palmas
Las Palmas de Gran Canaria

2. Research Objectives

The area off NW-Africa is one of the most important upwelling systems of the global ocean. High amounts of Sahara dust influence the transport of nutrients into and their concentration in the ocean and therefore play a major role for the particle production in the ocean influencing the processes of the biological carbon pump system. Hence they are controlling factors of the global atmospheric CO₂-budget. Despite the main driving force for climatic variability located in the North Atlantic, the upwelling area off NW-Africa is suitable to reconstruct the past climatic variability by monitoring present in-situ environmental changes and variations.

The research topics were carried out in correlation with the following project:

2.1 MERSEA (Marine EnviRonment and Security for the European Area – Integrated Project)

The main task will concentrate on the MERSEA EU project. The main aim of MERSEA is the data management and processing to take aim to the needs of scientific end-users.

The participating institutions during R/V POSEIDON cruise 333, MARUM/University of Bremen and ICCM, are involved in work package 3. They will ensure the availability of real time and delayed-mode and regional in-situ data and products in the form required by the MERSEA modelling, data assimilation and validation systems. The activities are partly research and development, innovation, and partly demonstration. The served research sites, continued from the preceding ANIMATE and DOLAN projects, are DOLAN/ESTOC, Canary Islands; PAP, Porcupine Abyssal Plain; CIS, Central Irminger Sea. The main task during POS 333 cruise will be the work on the DOLAN site. The DOLAN station is located 25 nm west of ESTOC and comprises technical devices for transmission of scientific data sets via satellite into the research institutes which collect the data in a database and make them available in the internet.

3. Narrative of the Cruise

R/V Poseidon left the port of Las Palmas on March 1st, 2006 with heading to the DOLAN position. Due to the stormy weather conditions RV "Poseidon" could not continue to steam to the mooring position. Instead the ship went east of the island of Gran Canaria to the southernmost planned CTD station. The wind speed of Bft. 8 avoid to operate the CTD and the ship stayed overnight in the shelter south of Gran Canaria.

The next day (March 2nd) the scientific work could be started at the second but southernmost station (#2) with a CTD cast. A second CTD station (#3) could be done later in the afternoon.

In the morning of March 3rd the recovery of the mooring CI-19 had been done. In the afternoon the recovery of the DOLAN buoy and the belonging mooring followed. In the evening a post-calibration cast for the Microcats occurred.




Figure 1: Trackline of the RV "Poseidon" cruise 333

On March 4th, the monthly monitoring on the ESTOC position could be carried out. Afterwards the ship steamed to the next CTD position to continue the CTD transect between the islands of Gran Canaria and Tenerife. The CTD station #4 had been made in the afternoon.

The day of March 5th was used to carry out the CTD stations #1 and #6. On the way to the next planned CTD station the wind speed increased rapidly to Bft. 8 which leaded to an interruption of the scientific work. The ship steamed again close to the southern coast of Gran Canaria to get shelter.

On March 6th the weather conditions were too bad to work outside the shelter of Gran Canaria. The time was used to maintain the DOLAN buoy and to prepare the new buoy mooring equipment.

In the morning of March 7th a new attempt had been done to steam onto the next CTD station. But wind speeds up to 42 kts. were to strong to continue scientific work. At noon the weather conditions became slightly better. Due to decreasing time all CTD activities were skipped to steam to the DOLAN buoy position north of the islands.

On March 8th the pre-calibration casts for the Microcats and the fluorometer were made. Afterwards the buoy mooring could be deployed successfully. In the afternoon the DOLAN buoy was connected to its mooring without any problems. In the time after deployment the direct wireless communication and the satellite communication had been tested both successfully.

On the next day, March 9th, the mooring CI-20 was deployed close to the ESTOC position. In the late afternoon RV "Poseidon" took course towards Las Palmas.

In the morning of March 10th RV "Poseidon" arrived in the port of Las Palmas.

4. Scientific Report

4.1 Equipment Development and Tests

4.1.1 DOLAN Surface Buoy (SBU)

The Surface Buoy Unit (SBU) operates since 1997 and was formerly part of the DOMEST and DOLAN projects. The unit carries several meteorological sensors, satellite telemetry links and sub sea telemetry links like ORCA acoustic modem and now a cable telemetry down to 100m.

The DOLAN mooring was recovered at the evening of March 3rd, 2006 on its location at 29°10,40'N 15°55,30'W. The water depth on this position is about 3630 m.

The last routine maintenance has been carried out during R/V POSEIDON cruise 330 in December 2005.

The redeployment took place on March 8th, 5 days later.




Figure 2: Recovery of the SBU.




Figure 3: Recovered SBU.

The complete mooring has been recovered during this cruise after a deployment period of approx. one year. The biofouling on the sensors and the buoy was at a medium level compared to previous cruises but more than in December 2005. This seasonal change has been seen on all cruises. The sensors and the buoy have been cleaned before reading all the data from the sensors.

There were no major damages visible on the buoy, all antennas, solar panels and cables on deck were in a good shape. Some minor damages like the bearings of the wind generator and some damages on the body of the buoy have been detected.

Status of the DOLAN Buoy before maintenance

The visual inspection of the buoys body shows cracks and damages at 5 different locations. The visible damage has been repaired. Some more serious repairs can be expected for the next cruises.

- The INMARSAT tracking system installed in December 2004 worked perfectly until the recovery. The battery capacity installed on the PO330 cruise has been doubled compared to previous deployments.




Figure 4: Voltage log of the Inmarsat Battery

- The wind sensor and the compass were working fine during the tests.
- The air pressure sensor has been working well all the time and the data were transmitted using the online telemetry during the whole past mooring period. This sensor has not been replaced.
- The sensors of relative humidity and air temperature were damaged. We suppose that they were in contact with sea water during the cyclone on November 27th, 2005. They have been replaced. The readings have been successfully compared the ships weather sensors (DWD system).
- The DOLIX GPS including antenna was working well.
- There was no SAMI CO₂ sensor installed at 10m, only one Microcat. The Orbcomm telemetry worked very well during this mooring period with GPS and air pressure as well as the new measurement of the battery voltages. The data from the Microcat in 0m and 10m had not been transmitted. They have been integrated into the telemetrie and they are transferring data now. The biofouling on the microcats was acceptable. The recorded data could be retrieved completely.

There were four microcats installed between 10m and 100m. They have been recovered and the data have been downloaded successfully. The antifouling of all Microcats except the ones at 0m and the 100m serial Microcat have been replaced

- The data of the ADCP at 150m has been downloaded completely and the battery has been renewed.

- The fluorometer and the nutrient analyser in 100 m water depth were only very slightly affected by biofouling. The biowhiper of the fluorometer worked well, so that it's optical system has been found without a biofouling film. The intake of the nutrient analyser was not effected by biofouling as well.

The fluorometer was connected to the telemetrie, but no data were transmitted due to software problems in the DOLIX computer.

The NAS-2E nutrient sensor has not been connected to the telemetrie due to problems with the sensor software.

The maintenance of the buoy electronics showed that the buoy was in a good shape. Both, 12V and 24V power supply were working well. No corrosion was found in the junction box of the solar panels.




Figure 5: Plot of the 12V power supply during the deployment period.

The voltage of the 24V power supply is shown below. No problems have been detected in the 24V power supply.




Figure 6: Plot of the 24V power supply during the deployment period.

The inspection of the 24V wind generator showed that the mast bearings had become loose. The wind generator has been replaced by the spare generator.

After the analysis of the status of the DOLAN Buoy we started the maintenance of the DOLAN electronics. The DOLIX computer has been replaced by the tested spare unit.

New cable telemetry

A new technique for the telemetry of data from the sensors at 100m depth was installed during the last cruise PO330. This new telemetry has been installed the first time on the DOLAN buoy. The 4 wire cable is a new design with a robust stainless steel armour.

The very robust cable was in a good shape, but it was torn at the connector. This happened during the cyclone one day after the deployment on the 28'th of November 2005.

The cable has been repaired; the parts of the cable with water ingress have been replaced. The connector has been secured by fixing the cable to a shackle right above and right below the connector.

WLAN link

The old satel RF modems have been replaced by a new WLAN link for controlling the system from the ship. The according antenna has been installed on this cruise. The test of the WLAN system shows a very good and reliable performance. The maximum distance for the ship to communicate with the DOLAN Buoy via WLAN is $\frac{3}{4}$ nm. We operated the WLAN at a safe distance of $\frac{1}{2}$ nm without any problems and at a datarate of 10MBit/sec.

An external switch for the WLAN by the use of an 4pin Subconn connector has been implemented to enable WLAN without opening the deck box on the buoy even if the Iridium link is not working.

For testing purposes several messages have been automatically generated and sent via the Iridium and the Orbcomm satellite link after the redeployment of the DOLAN buoy.

The wind speed and wind direction data have been compared with the ships wind data (DWD system). The results were reasonable but due to the fact that the buoy was standing on the aft deck the readings were not exact the same as the ships wind data.

Table 1: Overview on the installed sensors / telemetry since March 2006

Sensor	Telemetry	Status
Vaisala PTU200 - air temperature - relative humidity - barometric pressure	ORBCOMM	ONLINE
Vaisala WS245 - windspeed - winddirection	IRIDIUM	ONLINE
TCM2 - buoy heading - pitch and roll for the buoy	Working, delivers data for wind speed calculation	(ONLINE)
Thrane & Thrane - GPS	INMARSAT	ONLINE
Microcat @0.5m	ORBCOMM	ONLINE
Microcat @10m	ORBCOMM	ONLINE
Microcat @100m	IRIDIUM	Status unclear
Fluorometer	IRIDIUM	(ONLINE)
Nutrient Analyser NAS-3E	Not in telemetry	
DOLIX GPS	IRIDIUM	ONLINE

Results of the tests before and after deployment

All tested sensors and systems were working well during the tests prior to the deployment. The tests after the deployment were successful as well. Successful logins were performed on the DOLIX computer via Iridium several times.

Configuration of the DOLAN buoy after POS333




Figure 7: Configuration of the DOLAN SBU after POS cruise 330.

The redeployment of the mooring took place on March 8th, 2006.

Tests of all sensors on the DOLIX took place after the deployment of the DOLAN buoy.

All sensors were working fine. Only the data from the 100m Microcat could not be received. These tests have been performed via the new WLAN link on the buoy at a distance of ½ nm.

Status of the tasks from the POS330 cruise

- The power switching concept has to be redesigned
 - o The redesigned power supply board has been installed and tested successfully
- A magnetic switch should be applied to switch on the WLAN link without opening the electronics box.
 - o An external switch was installed by the use of a Subconn connector.
- The scheduler of the DOLIX need to be checked, it seems not to be reliable
 - o The scheduler has been tested and works fine with more reliable applications
- The body of the buoy needs to be repaired on the next cruise
 - o The damage of the DOLAN body have been repaired
- The power supply concept for the different sensors need to be redesigned

DOLAN configuration March 2006

No new sensors have been implemented on the DOLAN Buoy on this cruise. The focus was on the maintenance and improvement of the installed system. Several problems in the software have been corrected.

The test on the buoy shows a very good performance and a stable system. The main improvement was the renewed login process for a dial in via Iridium. Before the maintenance a runlevel change was necessary to enable the Iridium dial-in. This is not longer necessary, one can dial in via Iridium every time except during a short burst data session.

- The new power supply and switching board has been installed. It shows a very good performance, The trigger of the switching has been redesigned in the software by the use of shell scripts. This leads to a more transparent and easy configuration of the switching concept.

Tasks for the next cruise

- connection of CanSor modules on the cable via Subconn connectors
- check of the CanSor telemetry for the 100m Microcat
- new revision of the CanSor software with bidirectional telemetry

4.2 Collection with Particle Traps

The particulate material collected will be analysed to determine total flux, particulate flux, particulate organic carbon, particulate nitrogen, biogenic opal, carbonate and stable isotopes of organic matter, and lithogenic material. The trapped material also will be investigated for species composition of the planktonic organisms (pteropods, foraminifera, coccolithophorides and diatoms). The objective of these studies is to identify signals of seasonal variations in those components, which play an important role in the sediment formation process. The result of these investigations will form a basis for the reconstruction of paleocurrent systems and paleoproduction from the sediments.

4.2.1 CI-19 (ESTOC)

The CI-19 mooring array was deployed on November 26th 2005 at 29°04,20'N and 015°15,36'W at a water depth of 3590 m. It had been recovered on March 3rd, 2006. Attached to this array were three particle traps at water depths of 699 m, 1025 m and 3052 m. All traps delivered the whole sets of 20 samples.

The mooring was redeployed on March 9th, 2006 as CI-20, with a comparable configuration. It is planned to recover this array in March 2006 with R/V MERIAN or R/V POSEIDON.




Figure 8: Drawing of CI-19 mooring.

Table 2: Mooring data for recoveries and redeployments during R/V POSEIDON cruise 333.

Mooring	Position	Water depth (m)	Interval	Instr.	Depth (m)	Intervals (no x days)
<u>Mooring recoveries</u>						
ESTOC	29°04,20'N	3590	16.03.05	S/MT 234	699	20 x 15
CI-19	15°15,36'W		10.01.06	S/MT 234	1025	
				S/MT 234	3052	
<u>Mooring deployments</u>						
ESTOC	29°04,10'N	3590	10.03.06	S/MT 234	699	20 x 22
CI-20	15°15`05W		24.05.07	S/MT 234	1025	
				S/MT 234	3052	

Instruments used:

S/MT 234

= Particle sediment trap S/MT 234 KUM, Kiel

4.3 Marine Chemistry

4.3.1 Objectives and scientific questions

Along P333 the ANIMATE/ ESTOC mooring was recovered and redeployed for the eighth time. It had been put in place in November 2005 during P330 and the sensors had been in the water for about 9 months and needed to be replaced. The ICCM took care of the nitrate sensor collected from the mooring extracting the data; it was also in charge of deploying a refurbished and calibrated NAS-2E # nitrate sensor in the mooring to be deployed.

At the same time it was necessary to do the biogeochemical monthly samplings at the ESTOC station (European Station for Time series in the Ocean Canary islands) and surrounded areas, that it has been continuously done since 1994. Calibration casts with CTD/Rosette were also made to accomplish the requirements of the sensors being recovered/ deployed.

It was planned to sample different stations around Gran Canaria Island, but due to bad weather conditions only could be made some in the way from ESTOC to the passage between Tenerife and Gran Canaria Islands. The passage circulation of water masses has been studied in several cruises in the past too, with the aim to track the presence of the intermediate waters found in the area, i.e. Antarctic Intermediate Water (AAIW) and Mediterranean Water (MW).




Figure 9: Position of the CTD stations (red crosses and numbers) made along Poseidon P333.

4.3.2 Data

At the beginning of the cruise the meteorological conditions were not adequate to collect the DOLAN/ANIMATE mooring and, since better conditions were found in the channel between Gran Canaria and Tenerife Islands, two stations were made (st. #54 and 55, sampled to 2000m). When the weather improved, the DOLAN/ANIMATE mooring could be recovered, hence a rosette/CTD cast to 500m was made in order to have a calibration of the chemical sensors (st. #58). Then, after the DOLAN mooring with the physical and biogeochemical sensors from the MERSEA was recovered, the ESTOC station monthly sampling took place (st. 59, sampled to the bottom). As part of the monthly sampling at ESTOC since 1994, a NOAA buoy #54683 was deployed at 29°10.05'N, 15°19.58'W.

After this, the remaining stations from the transect between Tenerife and Gran Canaria islands were made starting from ESTOC and going diagonally south (st. #60, #61 and #62 down to

2000m), and finally a calibration was made prior to the mooring deployment (st. 63 profile 1 with microcats mounted, st. #63 profile 2 to 300m for fluorometer restrictions since it was mounted on the rosette).

The nitrate sensor was exchanged, collecting NAS-3X #2404 and deploying it again changing the battery. Refurbishing and calibration of the sensor were made on board using the standards that were maintained refrigerated on board, which had been checked and measured with the laboratory analyser Skalar© at the ICCM. Data obtained for the mooring period from the nitrate sensor was quite satisfactory, except for the last few days when the standards did not remain stable.

Table 3: List of stations sampled along the cruise P333, Las Palmas-DOLAN-Las Palmas (O=oxygen, N=nutrients, S=salinity, C=chlorophyll "a", Ak=alkalinity, pH, TIC= Total Inorganic Carbon, Inc= Incidences).

Date Time hh:mm	St. #, CTD Cast	Depth sta, (m)	Lat. N	Long. W	Depth Ross. (m)	Nis kin Bot	Nom. Dep. samp, (m)	PARAMETERS							
								O	N	S	C	Ak	pH	TIC	Inc
02.03 2006 10:05	54, 02	2710	27°53.11'	16°10.09'	2000										
						1	2000	✓	✓	✓			✓	✓	✓
						2	1800	✓	✓				✓	✓	✓
						3	1500	✓	✓				✓	✓	✓
						4	1300	✓	✓				✓	✓	✓
						5	1200	✓	✓				✓	✓	✓
						6	1100	✓	✓				✓	✓	✓
						7	1000	✓	✓				✓	✓	✓
						8	800	✓	✓	✓			✓	✓	✓
						9	600	✓	✓				✓	✓	✓
						10	400	✓	✓				✓	✓	✓
						11	300	✓	✓	✓			✓	✓	✓
						12	200	✓	✓						
02.03 2006 08:03	54, 01	2710	27°53.08'	16°10.18'	200										
						1	200	✓	✓	✓	✓	✓	✓	✓	✓
						2	150	✓	✓		✓	✓	✓	✓	✓
						3	125	✓	✓		✓				
						4	110	✓	✓		✓				
						5	100	✓	✓		✓	✓	✓	✓	✓
						6	90	✓	✓		✓				
						7	75	✓	✓		✓	✓	✓	✓	✓
						8	65	✓	✓	✓	✓				
						9	50	✓	✓		✓	✓	✓	✓	✓
						10	25	✓	✓		✓	✓	✓	✓	✓
						11	10	✓	✓	✓	✓	✓	✓	✓	✓
						12	5	✓	✓		✓				

Date Time hh:mm	St. #, CTD Cast	Depth sta, (m)	Lat. N	Long. W	Depth Ross. (m)	Nis kin Bot	Nom. Dep. samp, (m)	PARAMETERS							
								O	N	S	C	Ak	pH	TIC	Inc
						7	125	✓	✓	✓	✓	✓	✓	✓	✓
						8	100	✓	✓	✓	✓	✓	✓	✓	✓
						9	75	✓	✓	✓	✓	✓	✓	✓	✓
						10	50	✓	✓	✓	✓	✓	✓	✓	✓
						11	25	✓	✓	✓	✓	✓	✓	✓	✓
						12	10	✓	✓	✓	✓	✓	✓	✓	✓
04.03 .2006 11:41	59, 02	3597	29°10.06'	15°19.98'	3500	ESTOC 03/06									
						1	3500	✓	✓	✓		✓	✓	✓	
						2	3000	✓	✓	✓		✓	✓	✓	
						3	2800	✓	✓	✓		✓	✓	✓	
						4	2500	✓	✓	✓		✓	✓	✓	
						5	2000	✓	✓	✓		✓	✓	✓	
						6	1800	✓	✓	✓		✓	✓	✓	
						7	1500	✓	✓	✓		✓	✓	✓	
						8	1300	✓	✓	✓		✓	✓	✓	
						9	1200	✓	✓	✓		✓	✓	✓	
						10	1100	✓	✓	✓		✓	✓	✓	
						11	1000	✓	✓	✓		✓	✓	✓	
						12	800	✓	✓	✓		✓	✓	✓	
04.03 .2006 15:15	60, 01	3587	28°44.06'	15°37.11'	200										
						1	200	✓	✓	✓	✓	✓	✓	✓	Open
						2	150	✓	✓		✓	✓	✓		
						3	125	✓	✓		✓				
						4	110	✓	✓		✓				
						5	100	✓	✓		✓	✓	✓		
						6	90	✓	✓		✓				
						7	75	✓	✓		✓	✓	✓		
						8	65	✓	✓	✓	✓				
						9	50	✓	✓		✓	✓	✓		
						10	25	✓	✓		✓	✓	✓		
						11	10	✓	✓	✓	✓	✓	✓		
						12	5	✓	✓		✓				
04.03 .2006 16:30	60, 02	3586	28°43.89'	15°37.00'	2000										
						1	2000								Open
						2	1800	✓	✓	✓		✓	✓	✓	
						3	1500	✓	✓			✓	✓	✓	
						4	1300	✓	✓			✓	✓	✓	
						5	1200	✓	✓			✓	✓	✓	
						6	1100	✓	✓			✓	✓	✓	
						7	1000	✓	✓			✓	✓	✓	
						8	800	✓	✓	✓	✓	✓	✓	✓	
						9	600	✓	✓			✓	✓	✓	
						10	400	✓	✓			✓	✓	✓	
						11	300	✓	✓	✓	✓	✓	✓	✓	
						12	200	✓	✓						

Date Time hh:m m	St. #, CTD Cast	Depth sta, (m)	Lat. N	Long. W	Depth Ross. (m)	Nis kin Bot	Nom. Dep. samp, (m)	PARAMETERS							
								O	N	S	C	Ak	pH	TIC	Inc
05.03 .2006 09:31	61, 01	3504	27°30.96'	16°25.01'	200										
						1	200	✓	✓	✓	✓				
						2	150	✓	✓		✓				
						3	125	✓	✓		✓				
						4	110	✓	✓		✓				
						5	100	✓	✓		✓				
						6	90	✓	✓		✓				
						7	75	✓	✓		✓				
						8	65	✓	✓	✓	✓				
						9	50	✓	✓		✓				
						10	25	✓	✓		✓				
						11	10	✓	✓	✓	✓				
						12	5	✓	✓		✓				
05.03 .2006 09:31	61, 02	3504	27°31.01'	16°25.00'	2000										
						1	200	✓	✓	✓	✓				
						2	175	✓	✓		✓				
						3	150	✓	✓		✓				
						4	125	✓	✓		✓				
						5	110	✓	✓		✓				
						6	100	✓	✓		✓				
						7	90	✓	✓		✓				
						8	75	✓	✓	✓	✓				
						9	50	✓	✓		✓				
						10	25	✓	✓		✓				
						11	10	✓	✓		✓				
						12	5	✓	✓	✓	✓				
05.03 .2006 13:09	62, 01	3579	27°10.02'	16°40.02'	200										
						1	200	✓	✓	✓	✓	✓	✓	✓	✓
						2	175	✓	✓		✓	✓	✓	✓	✓
						3	150	✓	✓		✓				
						4	125	✓	✓		✓				
						5	110	✓	✓		✓	✓	✓	✓	✓
						6	100	✓	✓		✓				
						7	90	✓	✓		✓	✓	✓	✓	✓
						8	75	✓	✓	✓	✓				
						9	50	✓	✓		✓	✓	✓	✓	✓
						10	25	✓	✓		✓	✓	✓	✓	✓
						11	10	✓	✓		✓	✓	✓	✓	✓
						12	5	✓	✓	✓	✓				
05.03 .2006 14:34	62, 02	3579	27°09.98'	16°39.99'	2000										
						1	2000	✓	✓	✓	✓	✓	✓	✓	✓
						2	1800	✓	✓		✓	✓	✓	✓	✓
						3	1500	✓	✓		✓	✓	✓	✓	✓
						4	1300	✓	✓		✓	✓	✓	✓	✓
						5	1200	✓	✓		✓	✓	✓	✓	✓
						6	1100	✓	✓		✓	✓	✓	✓	✓
						7	1000	✓	✓		✓	✓	✓	✓	✓

Date Time hh:mm	St. #, CTD Cast	Depth sta, (m)	Lat. N	Long. W	Depth Ross. (m)	Nis kin Bot	Nom. Dep. samp, (m)	PARAMETERS							
								O	N	S	C	Ak	pH	TIC	Inc
						8	800	✓	✓	✓	✓	✓	✓	✓	✓
						9	600	✓	✓		✓	✓	✓	✓	✓
						10	400	✓	✓		✓	✓	✓	✓	✓
						11	300	✓	✓	✓	✓	✓	✓	✓	✓
						12	200	✓	✓		✓				
08.03 2006 08:17	63, 01	3628	29°10.93'	15°55.38'	500	Microcat calibration, remained 15' at 500m Not sampling									
08.03 2006 09:21	63, 02	3628	29°11.17'	15°55.36'	300	Test cast for chemical pack calibration prior to deployment, fluorometer mounted (only possible to 300db pressure)									
						1	300	✓	✓	✓	✓				
						2	200	✓	✓		✓				
						3	150	✓	✓		✓				
						4	125	✓	✓		✓				
						5	100	✓	✓		✓				
						6	90	✓	✓		✓				
						7	80	✓	✓		✓				
						8	70	✓	✓	✓	✓				
						9	55	✓	✓		✓				
						10	40	✓	✓		✓				
						11	15	✓	✓		✓				
						12	10	✓	✓	✓	✓				

Physical (CTD, salinity) and biogeochemical parameters (oxygen, nutrients, chlorophyll, alkalinity, total inorganic carbon (TIC) and pH) were measured by sampling the Niskin bottles in order to characterize the water masses present in the water column (Table 1). Oxygen was analysed and calculated on board, samples for chlorophyll "a" were filtrated immediately after collection, taking the frozen filters to the ICCM. Nutrient samples were frozen and taken to the ICCM to be analysed there, whereas the salinity bottles were also analysed at the ICCM. Some of the parameters of the carbon system were analysed on board and other were done ashore.

4.3.3 Methods

4.3.3.1 Water Sampling

Samples were collected immediately after the Niskin bottles were on board from each depth. The sampling sequence was as follows:

1.) Oxygen: was taken in glass bottles of about 125 ml of volume which were previously cleaned and washed with HCl acid and was fixed at once; then it was kept for at least six hours according to WOCE regulations and finally it was analysed at the laboratory on board the ship.

2.) Carbon system measurements: in this case pH, TIC and alkalinity: samples were taken in glass bottles and were fixed immediately on board.

2.) Nutrients: were taken in polypropylene bottles which were previously cleaned and washed with HCl acid and were completely dry. Samples were immediately frozen at -20°C, analysing them as soon as possible after arrival at the laboratory. Freezing the samples is a

common practice; it does not or only in a non-significant way affect the nitrate+nitrite and the phosphate values (by a slight decrease) and is not noticeable in the silicate values (Kremling and Wenck, 1986; McDonald and McLunghlin, 1982).

3.) Salinity: samples were taken in dark glass bottles which were previously cleaned and washed with HCl acid. Then, they were kept in boxes to protect them from light till analysis on land.

4.) Chlorophyll: samples of one liter of water were taken. The chlorophyll samples were filtered immediately and the filters were frozen subsequently at -20°C. Their analyses takes place at the ICCM laboratory in land.

All samples were taken using the procedures established in the WOCE Operations Manual, WHP Office Report WHPO 91-1/WOCE Report No.68/91.

4.3.3.2 Analysis

4.3.3.2.1 Dissolved Oxygen

The samples were analysed using the method described in the WOCE Operations Manual, WHP Office Report No. 68/91; the final titration point was detected using a Metrohm 665 Dosimat Oxygen Auto-Titrator Analyser.

Carbonate system measurements

The pH_t in total scale ($\text{mol} (\text{kg-SW})^{-1}$) was measured following the spectrophotometric technique of Clayton and Byrne (1993) using the m-cresol purple indicator (DOE, 1994). 0.0047 pH units were added to the pH experimental values in order to take into consideration the recommendations by Lee et al. (2000). A system similar to that described by Bellerby et al. (1995) was developed in our lab. The pH_t measurements were carried out using a Hewlett Packard Diode Array spectrophotometer in a 25°C-thermostated 1-cm flow-cell using a Peltier system. A stopped-flow protocol was used to analyse seawater previously thermostated to 25°C for a blank determination at 730, 578 and 434 nm. The flow was restarted, and the indicator injection valve switched on to inject 10 μl dye through a mixing coil (2 m). Three photometric measurements were carried out for each injection in order to remove all dye effect on the seawater pH_t measurement. Repeatedly, seawater measurements of the different Certified Reference Materials (CRM provided by Dr. Dickson, Scripps Institution of Oceanography) samples gave a standard deviation of ± 0.0015 ($n = 54$).

The total alkalinity of seawater (A_T) was determined by titration with HCl to the carbonic acid end point using two similar potentiometric systems, as described in more detail by Mintrop et al. (2000). In order to yield an ionic strength similar to open ocean seawater, the HCl solution (25 l, 0.25 M) was made from concentrated analytical grade HCl (Merck®, Darmstadt, Germany) in 0.45 M NaCl. The acid was standardised by titrating weighed amounts of Na_2CO_3 dissolved in 0.7 M NaCl solutions. The total alkalinity of seawater was evaluated from the proton balance at the alkalinity equivalence point, $\text{pH}_{\text{equiv}} = 4.5$, according to the exact definition of total alkalinity (Dickson, 1981). The performance of the titration systems was monitored by titrating different samples of certified reference material (CRM, batch 42) with known inorganic carbon and A_T values. The agreement between our data and CRM values was within $\pm 1.5 \mu\text{mol kg}^{-1}$. Total inorganic carbon (C_T) is computed from experimental values of pH_t and total alkalinity, using the carbonic acid dissociation constants of Mehrbach after Dickson and Millero (1987). This set of constants presented the best agreement between $C_T(\text{pH}, A_T)$ calculations and certified C_T values for CRM, batch 42, with a C_T residual of $\pm 3 \mu\text{mol kg}^{-1}$, $n=54$ (Millero, 1995, Lee et al., 1997).

4.3.3.2.2 Nutrients

The nutrients determination was performed with a segmented continuous-flow autoanalyser, a Skalar® San Plus System (ICCM).

Nitrate+Nitrite: The automated procedure for the determination of nitrate and nitrite is based on the cadmium reduction method; the sample is passed through a column containing granulated copper-cadmium to reduce the nitrate to nitrite (Wood et al., 1967), using ammonium chloride as pH controller and complexer of the cadmium cations formed (Strickland and Parsons, 1972). The optimal column preparation conditions are described by several authors (Nydahl, 1976; Garside, 1993).

Phosphate: Orthophosphate concentration is understood as the concentration of reactive phosphate (Riley and Skirpov, 1975) and according to Koroleff (1983a) is a synonym of “dissolved inorganic phosphate”. The automated procedure for the determination of phosphate is based on the following reaction: ammonium molybdate and potassium antimony tartrate react in an acidic medium with diluted solution of phosphate to form an antimony-phosphomolybdate complex. This complex is reduced to an intensely blue-coloured complex, ascorbic acid. The complex is measured at 880nm. The basic methodology for this anion determination is given by Murphy and Riley (1962); the used methodology is the one adapted by Strickland and Parsons (1972).

Silicate: The determination of the soluble silicon compounds in natural waters is based on the formation of the yellow coloured silicomolybdic acid; the sample is acidified and mixed with an ammonium molybdate solution forming molybdosilicic acid. This acid is reduced with ascorbic acid to a blue dye, which is measured at 810nm. Oxalic acid is added to avoid phosphate interference. The used method is described in Koroleff (1983b).

Phytoplankton pigments

Pigments were measured using fluorimetric analysis, following the methodology described by Welschmeyer (1994). The determination was achieved using a fluorometer TURNER 10-AU-000.

Salinity

Samples were measured with a salinometer, model Autosal 8400a, whose measurement range was between 0.005-42 (psu), with an accuracy of ± 0.003 , according to the manufacturer. It was calibrated following the manufacturer's information and standarizing it with IAPSO Standard Seawater. Salinity values were calculated as practical salinity according to Unesco (1978, 1984).

4.3.4 Preliminary Results

Preliminary raw values (27 November 2005 to 06 February 2006) extracted from the nitrate sensor collected from the mooring are shown in Figure 2a. There was data in the sensor until the mooring recovery but the values could not be accepted due to the incorrect standards values obtained for the last period (06.02.06 to 03.03.06). These raw values need to undergo a quality-controlled checking comparing them with the microcat data put below just below the sensors frame, since mooring movements may have introduced a variability not inherent to the system.

Samples of salinity were taken from all the Niskin bottles for the ESTOC station and from 3 bottles at each cast made in the other stations (except for station #63, cast 1, because the




Figure 10: a) Raw nitrate data obtained from the two standards (2 and 5 nitrate) put in sensor #2404 NAS-2E (Envirotech LLC©) during the mooring period. b) detail of ESTOC salinity data from the Niskin bottles, in black values measured by the 2 profiles of CTD and in red the results of the samples taken by the ICCM.

Niskin bottles were removed to put the microcats). Figure 2b shows the station ESTOC as an example of the agreement between the CTD salinity values of the bottles closure and the results obtained with the Autosal© salinometer analyses of the samples taken, values for the other stations were also coherent with the CTD closing bottles results.

The temperature/salinity diagrams made from the CTD casts to 200db taken along this cruise (Figure 3b), shows that the mixed layer is quite developed for most of the stations . Below the surface (figure 3 to the left), it is found the characteristic straight segment of the




Figure 11: a) T/S plots to 2000m of depth from the stations made during P333, showing in the ellipse the area of intermediate waters. b) temperature versus pressure (to 200 db) of the same stations to show the mixed layer depth.

North Atlantic Central Water and, at intermediate waters, the stations show the different mixing states of the mingling of AAIW (Antarctic Intermediate Water) and MW (Mediterranean Water).

The passages between the islands are always controversial, due to the complex mixing –both vertical and horizontally- produced by the bulk process induced by the channelling of the water masses. At these depths, the stations located towards the north of the Canary Islands (#55, 59 and 60) are more influenced by the presence of MW and the values are greater in salinity and temperature. Stations #61 and 62 were made to the south of the islands and they have at intermediate level lower temperature and salinity values, i.e. they are mainly composed of only AAIW. Station #54 seems to be in between the two trends, i.e. shows mixing of both AAIW and MW.

At intermediate depths both the Antarctic Intermediate Water (AAIW) and the Mediterranean Water (MW) masses are found at different stages to the north of the Canary Islands (ellipse Figure 3a). Ranges of temperature and salinity at depths of 800- 1200m in the Canary Islands environment are in the order of 5- 12°C with salinity ranging between 35.2 and 35.5 (Llinás et al., 2002).

The oxygen results obtained during P333 down to 2000m (Figure 4a) show approximately the same trend, having the southern stations the lower values down the water column except in the surface. Calibration stations by DOLAN (st. 58 and 63) were only made to 500m and 300m due to sensors depth restrictions. The presence of AAIW is also pointed out by the relative minima, which is lower at the south and found at depths 600-800m. Values of oxygen minimum in the stations north of the Canary Islands were found to be around 3.6ml/l whereas at the south are of the order of 2.9ml/l.




Figure 12: a) Oxygen (2000m depth) for the stations measured during P333, ESTOC 03/06 is depicted in green. b) ESTOC station values of oxygen from CTD (in red) and from water samples taken by ICCM (in black).

The CTD/rosette had an oxygen sensor included and therefore it has been possible to compare the values measured for each Niskin bottle closure with those obtained by analyses of the water samples taken from each bottles for each station. Figure 4b depicts the results for the ESTOC station as an example, showing that the oxygen measured by the sensor was in the

order of between 0.5-1.0 ml/l lower than the values obtained by analysis on board of the samples taken. The difference between the values changes with the depth in the water column, being greater at the surface and lower at the oxygen minimum.

The chlorophyll “a“ and oxygen for the surface layer down to 200m are plotted in Figure 5a and 5b respectively. Oxygen relative maxima were found at the surface having values of about 5.4 ml/l for all the stations sampled; the lower values both for the oxygen to 200m and the chlorophyll „a“ coincide with the southermost stations (#61 and 62).




Figure 13: a) Chlorophyll “a“ ($\mu\text{g/l}$) and oxygen (ml/l) down to 200m nominal depth along P333; colours correspond between the graphs.

Values for chlorophyll range were greater for station #54 ranging from 0.002 $\mu\text{g/l}$ at 200m to 0.5 $\mu\text{g/l}$ at 25m in this case. The rest of the stations made along P333 have the same trend in chlorophyll „a“ values, having the maximum at the range of 25-50m nominal depth with values of 0.50-0.31 $\mu\text{g/l}$.

5. List of Stations

Stat.No.	Date	Time UTC	Description	Lat	Lon	WD (m)
54	02.03.2006	08:28	Begin Station CTD # 1	27° 53.10' N	016° 10.13' W	2698.0
		08:29	CTD/Rosette to water	27° 53.09' N	016° 10.13' W	2698.0
		08:49	CTD/Rosette on deck	27° 53.04' N	016° 10.20' W	2702.0
54-2	02.03.2006	09:32	CTD/Rosette to water	27° 53.10' N	016° 10.14' W	2612.0
		10:47	CTD/Rosette on deck	27° 53.12' N	016° 10.02' W	2682.0
55	02.03.2006	14:50	Begin Station CTD # 2	28° 19.99' N	015° 52.97' W	3220.0
		14:57	CTD/Rosette to water	28° 19.99' N	015° 52.97' W	3220.0
		15:14	CTD/Rosette on deck	28° 19.98' N	015° 52.97' W	3217.0
55-2	02.03.2006	15:50	CTD/Rosette to water	28° 20.00' N	015° 53.04' W	3196.0
		16:55	CTD/Rosette on deck	28° 19.96' N	015° 52.96' W	3225.0
56	03.03.2006	08:04	Mooring Station "CI"	29° 03.90' N	015° 15.32' W	3684.0
		08:55	1. Trap on deck	29° 04.55' N	015° 15.50' W	ES off
		09:13	2. Trap on deck	29° 04.22' N	015° 15.64' W	3588.0
		10:26	3. Trap on deck	29° 03.38' N	015° 15.92' W	3588.0
		10:41	Releaser on deck	29° 03.17' N	015° 15.88' W	3588.0
57	03.03.2006	14:30	Buoy Station "DOLAN"	29° 10.63' N	015° 54.97' W	3633.0
		15:50	Bouy on deck	29° 10.86' N	015° 55.12' W	3633.0
		16:15	3 Microcats on deck	29° 10.88' N	015° 55.14' W	3608.0
		16:29	Fluorometer on deck	29° 10.89' N	015° 55.14' W	3608.0
		16:32	ADCP on deck	29° 10.89' N	015° 55.14' W	3608.0
		16:37	Released	29° 10.91' N	015° 55.13' W	ES off
		18:52	Releaser on deck	29° 10.32' N	015° 55.10' W	ES off
58	03.03.2006	19:12	Begin Station CTD # 3	29° 11.24' N	015° 55.19' W	3628.0
		19:15	CTD/Rosette to water	29° 11.23' N	015° 55.13' W	3628.0
		19:45	CTD/Rosette on deck	29° 11.02' N	015° 55.01' W	3627.0
59	04.03.2006	08:12	Begin Station CTD # 4	29° 09.98' N	015° 19.91' W	3596.0
		08:13	CTD/Rosette to water	29° 09.98' N	015° 19.91' W	3596.0
		08:52	CTD/Rosette on deck	29° 09.88' N	015° 19.69' W	3595.0
59-2	04.03.2006	09:38	CTD/Rosette to water	29° 10.12' N	015° 20.15' W	3596.0
		10:45	CTD/Rosette on deck	29° 10.02' N	015° 19.73' W	3594.0
59-3	04.03.2006	10:48	NOOA Drifter deployed	29° 10.05' N	015° 19.58' W	3595.0
60	04.03.2006	15:05	Begin Station CTD # 5	28° 44.04' N	015° 37.04' W	3587.0

Stat.No.	Date	Time UTC	Description	Lat	Lon	WD (m)
		15:10	CTD/Rosette to water	28° 44.04' N	015° 37.04' W	3587.0
		15:25	CTD/Rosette on deck	28° 44.13' N	015° 37.13' W	3590.0
60-2	04.03.2006	16:00	CTD/Rosette to water	28° 43.91' N	015° 36.96' W	3586.0
		17:08	CTD/Rosette on deck	28° 43.90' N	015° 37.01' W	3586.0
61	05.03.2006	08:01	Begin Station CTD # 6	27° 30.97' N	016° 25.00' W	3504.0
		08:05	CTD/Rosette to water	27° 30.94' N	016° 25.01' W	3505.0
		08:21	CTD/Rosette on deck	27° 30.99' N	016° 25.03' W	3505.0
61-2	05.03.2006	08:59	CTD/Rosette to water	27° 31.03' N	016° 25.04' W	3505.0
		10:06	CTD/Rosette on deck	27° 30.99' N	016° 24.97' W	3505.0
62	05.03.2006	13:00	Begin Station CTD # 7	27° 10.01' N	016° 40.02' W	3591.0
		13:05	CTD/Rosette to water	27° 10.01' N	016° 40.02' W	3591.0
		13:20	CTD/Rosette on deck	27° 10.03' N	016° 39.97' W	3584.0
62-2	05.03.2006	13:55	CTD/Rosette to water	27° 09.96' N	016° 40.04' W	3581.0
		15:05	CTD/Rosette on deck	27° 09.97' N	016° 39.96' W	3582.0
63	08.03.2006	07:53	Begin Station CTD # 8	29° 11.08' N	015° 55.23' W	3688.0
		08:56	CTD/Rosette to water	29° 11.08' N	015° 55.27' W	3629.0
		08:42	CTD/Rosette on deck	29° 10.79' N	015° 55.47' W	3636.0
63-2	08.03.2006	09:11	CTD/Rosette to water	29° 11.22' N	015° 55.33' W	3629.0
		09:40	CTD/Rosette on deck	29° 11.09' N	015° 55.41' W	3628.0
64	08.03.2006	10:40	Buoy Station „DOLAN“	29° 11.50' N	015° 52.21' W	3626.0
		10:55	Deployment dummy buoyancy	29° 11.38' N	015° 52.53' W	3626.0
		15:00	anchor weight in water	29° 11.16' N	015° 56.42' W	3633.0
		16:43	Swivel in water	29° 11.24' N	015° 55.62' W	3629.0
		16:43	Microcat IM-P 2713 i/w	29° 11.24' N	015° 55.62' W	3629.0
		16:43	ADCP i/w	29° 11.24' N	015° 55.62' W	3629.0
		16:49	Microcat IM-P 206 i/w	29° 11.24' N	015° 55.63' W	3628.0
		16:49	Fluorometer i/w	29° 11.24' N	015° 55.63' W	3628.0
		16:54	Microcat IM-P 2261 i/w	29° 11.22' N	015° 55.62' W	3624.0
		17:00	Microcat IM-P 2260 i/w	29° 11.26' N	015° 55.61' W	3628.0
		17:05	Microcat IM-P 2269 i/w	29° 11.31' N	015° 55.65' W	3628.0
		17:28	Microcat IM-P 1287 i/w	29° 11.31' N	015° 55.77' W	3628.0
		17:36	Microcat IM-P 1285 i/w	29° 11.31' N	015° 55.76' W	3629.0
		17:42	DOLAN-SBU i/w	29° 11.25' N	015° 55.80' W	3629.0

Stat.No.	Date	Time UTC	Description	Lat	Lon	WD (m)
65	09.03.2006	12:00	Station CI-20	29° 03.00' N	015° 17.10' W	3596.0
		12:15	Top Buoy (2 yellow) i/w	29° 03.00' N	015° 17.10' W	3596.0
		12:15	10x Benthos (orange) i/w	29° 02.91' N	015° 17.40' W	3596.0
		12:20	Trap S/MT 234 i/w	29° 02.76' N	015° 17.69' W	3596.0
		12:40	6x Benthos (orange) i/w	29° 02.93' N	015° 17.39' W	3595.0
		12:40	Trap S/MT 234 i/w	29° 02.96' N	015° 17.36' W	3595.0
		13:37	6x Benthos (orange) i/w	29° 03.70' N	015° 15.89' W	3589.0
		13:40	Trap S/MT 234 i/w	29° 03.71' N	015° 15.90' W	3589.0
		13:57	6x Benthos (orange) i/w	29° 03.93' N	015° 15.52' W	3589.0
		14:05	Releaser i/w	29° 03.98' N	015° 15.43' W	3574.0
		14:26	Anchor weight i/w	29° 04.23' N	015° 14.97' W	3588.0

6. Acknowledgements

All scientific cruise participants thank Captain Michael Schneider and his entire crew for the flexible and friendly assistance during the R/V POSEIDON cruise 333. As on the previous cruises it was a good example of professional support and handling.

The teamwork among the crew and scientists was friendly and relaxed as known from several other cruises on R/V POSEIDON. The cruise could be realized successfully.

7. References

- GARSIDE, C. (1993): Nitrate reductor efficiency as an error source in seawater analysis. *Mar. Chem.*, 4(1), 25-30.
- KOROLEFF, F., 1983. Determination of dissolved inorganic phosphate. In Methods of Seawater Analysis. K. Grasshoff, A. Ehrhardt and K. Kremling (eds), Verlag Chemie, 126-129.
- KOROLEFF, F., 1983b. Determination of dissolved inorganic silicate. In Methods of Seawater Analysis. K. Grasshoff, A. Ehrhardt and K. Kremling (eds), Verlag Chemie, 175-180.
- KREMLING, K. & A. WENCK, 1986. On the storage of dissolved inorganic phosphate, nitrate and reactive silicate in Atlantic Ocean water samples. *Meeresforsch.*, 31, 69-74.
- LLINÁS O., M.J. RUEDA, J. PÉREZ-MARRERO, E. PÉREZ-MARTELL, R. SANTANA, M.G. VILLAGARCÍA, A. CIANCA, J. GODOY AND L. MAROTO, 2002. Variability of the Antarctic Intermediate Waters in the Northern Canary Box. *Deep Sea Research. II*, 49(17):3441-3453.
- MCDONALD, R.W. & F.A. MC LAUGHLIN, 1982. The effect of storage by freezing of dissolved inorganic phosphate, nitrate and reactive silicate for samples from coastal and internal water. *Water Research*, 16, 95-104.
- MURPHY, J. & J.P. RILEY, 1962. A modified single solution method for the determination of phosphate in natural waters. *Anal. Chim. Acta*, 27, 31-36.
- NYDAHL, F., 1976. On the optimum conditions for the reduction of nitrate by cadmium. *Talanta*, 23, 349-357.
- RILEY, J.P. & J.P. SKIRPOW, 1975. The Micronutrient Element. *Chemical Oceanography*, 2, 245-297.
- STRICKLAND, J.D.H & PARSONS, 1972. A practical handbook of seawater analysis. *Fisheries Research Board of Canada*, 167 pp.
- UNESCO (1978): Technical Papers in Marine Science, 28, 35pp.
- UNESCO (1984): La escala de salinidades prácticas de 1978 y la ecuación internacional de estado del agua de mar de 1980. Documentos técnicos de la Unesco sobre Ciencias del Mar, no. 36.
- WELSCHMEYER, N.A., 1994. Fluorometric Analysis of Chlorophyll "a" in presence of Chlorophyll "b" and Phaeopigments. *Limnol. Oceanog.* 39 (8), 1985-1992.
- WOODS, E.D., F.A.J. ARMSTRONG & F.A. RICHARDS (1967). Determination of nitrate in seawater by cadmium-cooper reduction to nitrate. *J. Mar. Biol. Ass. UK*, 47, 31-43.

Publications of this series:

- No. 1 Wefer, G., E. Suess and cruise participants**
Bericht über die POLARSTERN-Fahrt ANT IV/2, Rio de Janeiro - Punta Arenas, 6.11. - 1.12.1985.
60 pages, Bremen, 1986.
- No. 2 Hoffmann, G.**
Holozänstratigraphie und Küstenlinienverlagerung an der andalusischen Mittelmeerküste.
173 pages, Bremen, 1988. (out of print)
- No. 3 Wefer, G. and cruise participants**
Bericht über die METEOR-Fahrt M 6/6, Libreville - Las Palmas, 18.2. - 23.3.1988.
97 pages, Bremen, 1988.
- No. 4 Wefer, G., G.F. Lutze, T.J. Müller, O. Pfannkuche, W. Schenke, G. Siedler, W. Zenk**
Kurzbericht über die METEOR-Expedition No. 6, Hamburg - Hamburg, 28.10.1987 - 19.5.1988.
29 pages, Bremen, 1988. (out of print)
- No. 5 Fischer, G.**
Stabile Kohlenstoff-Isotope in partikulärer organischer Substanz aus dem Südpolarmeer (Atlantischer Sektor). 161 pages, Bremen, 1989.
- No. 6 Berger, W.H. and G. Wefer**
Partikelfluß und Kohlenstoffkreislauf im Ozean.
Bericht und Kurzfassungen über den Workshop vom 3.-4. Juli 1989 in Bremen.
57 pages, Bremen, 1989.
- No. 7 Wefer, G. and cruise participants**
Bericht über die METEOR - Fahrt M 9/4, Dakar - Santa Cruz, 19.2. - 16.3.1989.
103 pages, Bremen, 1989.
- No. 8 Kölling, M.**
Modellierung geochemischer Prozesse im Sickerwasser und Grundwasser.
135 pages, Bremen, 1990.
- No. 9 Heinze, P.-M.**
Das Auftriebsgeschehen vor Peru im Spätquartär. 204 pages, Bremen, 1990. (out of print)
- No. 10 Willems, H., G. Wefer, M. Rinski, B. Donner, H.-J. Bellmann, L. Eißmann, A. Müller, B.W. Flemming, H.-C. Höfle, J. Merkt, H. Streif, G. Hertweck, H. Kuntze, J. Schwaar, W. Schäfer, M.-G. Schulz, F. Grube, B. Menke**
Beiträge zur Geologie und Paläontologie Norddeutschlands: Exkursionsführer.
202 pages, Bremen, 1990.
- No. 11 Wefer, G. and cruise participants**
Bericht über die METEOR-Fahrt M 12/1, Kapstadt - Funchal, 13.3.1990 - 14.4.1990.
66 pages, Bremen, 1990.
- No. 12 Dahmke, A., H.D. Schulz, A. Kölling, F. Kracht, A. Lücke**
Schwermetallspuren und geochemische Gleichgewichte zwischen Porenlösung und Sediment im Wesermündungsgebiet. BMFT-Projekt MFU 0562, Abschlußbericht. 121 pages, Bremen, 1991.
- No. 13 Rostek, F.**

- Physikalische Strukturen von Tiefseesedimenten des Südatlantiks und ihre Erfassung in Echolotregistrierungen. 209 pages, Bremen, 1991.
- No. 14 Baumann, M.**
Die Ablagerung von Tschernobyl-Radiocäsium in der Norwegischen See und in der Nordsee. 133 pages, Bremen, 1991. (out of print)
- No. 15 Kölling, A.**
Frühdiagenetische Prozesse und Stoff-Flüsse in marinen und ästuarinen Sedimenten. 140 pages, Bremen, 1991.
- No. 16 SFB 261 (ed.)**
1. Kolloquium des Sonderforschungsbereichs 261 der Universität Bremen (14.Juni 1991): Der Südatlantik im Spätquartär: Rekonstruktion von Stoffhaushalt und Stromsystemen.
Kurzfassungen der Vorträge und Poster. 66 pages, Bremen, 1991.
- No. 17 Pätzold, J. and cruise participants**
Bericht und erste Ergebnisse über die METEOR-Fahrt M 15/2, Rio de Janeiro - Vitoria, 18.1. - 7.2.1991. 46 pages, Bremen, 1993.
- No. 18 Wefer, G. and cruise participants**
Bericht und erste Ergebnisse über die METEOR-Fahrt M 16/1, Pointe Noire - Recife, 27.3. - 25.4.1991. 120 pages, Bremen, 1991.
- No. 19 Schulz, H.D. and cruise participants**
Bericht und erste Ergebnisse über die METEOR-Fahrt M 16/2, Recife - Belem, 28.4. - 20.5.1991. 149 pages, Bremen, 1991.
- No. 20 Berner, H.**
Mechanismen der Sedimentbildung in der Fram-Straße, im Arktischen Ozean und in der Norwegischen See. 167 pages, Bremen, 1991.
- No. 21 Schneider, R.**
Spätquartäre Produktivitätsänderungen im östlichen Angola-Becken: Reaktion auf Variationen im Passat-Monsun-Windsystem und in der Advektion des Benguela-Küstenstroms. 198 pages, Bremen, 1991. (out of print)
- No. 22 Hebbeln, D.**
Spätquartäre Stratigraphie und Paläozeanographie in der Fram-Straße. 174 pages, Bremen, 1991.
- No. 23 Lücke, A.**
Umsetzungsprozesse organischer Substanz während der Frühdiagenese in ästuarinen Sedimenten. 137 pages, Bremen, 1991.
- No. 24 Wefer, G. and cruise participants**
Bericht und erste Ergebnisse der METEOR-Fahrt M 20/1, Bremen - Abidjan, 18.11.- 22.12.1991. 74 pages, Bremen, 1992.
- No. 25 Schulz, H.D. and cruise participants**
Bericht und erste Ergebnisse der METEOR-Fahrt M 20/2, Abidjan - Dakar, 27.12.1991 - 3.2.1992. 173 pages, Bremen, 1992.
- No. 26 Gingele, F.**
Zur klimabedingten Bildung biogener und terrigener Sedimente und ihrer Veränderung durch die Frühdiagenese im zentralen und östlichen Südatlantik. 202 pages, Bremen, 1992.
- No. 27 Bickert, T.**
Rekonstruktion der spätquartären Bodenwasserzirkulation im östlichen Südatlantik über stabile Isotope benthischer Foraminiferen. 205 pages, Bremen, 1992. (out of print)
- No. 28 Schmidt, H.**

- Der Benguela-Strom im Bereich des Walfisch-Rückens im Spätquartär. 172 pages, Bremen, 1992.
- No. 29 Meinecke, G.**
Spätquartäre Oberflächenwassertemperaturen im östlichen äquatorialen Atlantik. 181 pages, Bremen, 1992.
- No. 30 Bathmann, U., U. Bleil, A. Dahmke, P. Müller, A. Nehrkorn, E.-M. Nöthig, M. Olesch, J. Pätzold, H.D. Schulz, V. Smetacek, V. Spieß, G. Wefer, H. Willems**
Bericht des Graduierten Kollegs. Stoff-Flüsse in marinen Geosystemen. Berichtszeitraum Oktober 1990 - Dezember 1992. 396 pages, Bremen, 1992.
- No. 31 Damm, E.**
Frühdiagenetische Verteilung von Schwermetallen in Schlicksedimenten der westlichen Ostsee. 115 pages, Bremen, 1992.
- No. 32 Antia, E.E.**
Sedimentology, Morphodynamics and Facies Association of a mesotidal Barrier Island Shoreface (Spiekeroog, Southern North Sea). 370 pages, Bremen, 1993.
- No. 33 Duinker, J. and G. Wefer (ed.)**
Bericht über den 1. JGOFS-Workshop. 1./2. Dezember 1992 in Bremen. 83 pages, Bremen, 1993.
- No. 34 Kasten, S.**
Die Verteilung von Schwermetallen in den Sedimenten eines stadtbumischen Hafenbeckens. 103 pages, Bremen, 1993.
- No. 35 Spieß, V.**
Digitale Sedimentographie. Neue Wege zu einer hochauflösenden Akustostratigraphie. 199 pages, Bremen, 1993.
- No. 36 Schinzel, U.**
Laborversuche zu frühdiagenetischen Reaktionen von Eisen (III) - Oxidhydraten in marinen Sedimenten. 189 pages, Bremen, 1993.
- No. 37 Sieger, R.**
CoTAM - ein Modell zur Modellierung des Schwermetalltransports in Grundwasserleitern. 56 pages, Bremen, 1993. (out of print)
- No. 38 Willems, H. (ed.)**
Geoscientific Investigations in the Tethyan Himalayas. 183 pages, Bremen, 1993.
- No. 39 Hamer, K.**
Entwicklung von Laborversuchen als Grundlage für die Modellierung des Transportverhaltens von Arsenat, Blei, Cadmium und Kupfer in wassergesättigten Säulen. 147 pages, Bremen, 1993.
- No. 40 Sieger, R.**
Modellierung des Stofftransports in porösen Medien unter Ankopplung kinetisch gesteuerter Sorptions- und Redoxprozesse sowie thermischer Gleichgewichte. 158 pages, Bremen, 1993.
- No. 41 Thießen, W.**
Magnetische Eigenschaften von Sedimenten des östlichen Südatlantiks und ihre paläoceanographische Relevanz. 170 pages, Bremen, 1993.
- No. 42 Spieß, V. and cruise participants**
Report and preliminary results of METEOR-Cruise M 23/1, Kapstadt - Rio de Janeiro, 4.-25.2.1993. 139 pages, Bremen, 1994.
- No. 43 Bleil, U. and cruise participants**
Report and preliminary results of METEOR-Cruise M 23/2, Rio de Janeiro - Recife, 27.2.-19.3.1993. 133 pages, Bremen, 1994.
- No. 44 Wefer, G. and cruise participants**

- Report and preliminary results of METEOR-Cruise M 23/3, Recife - Las Palmas, 21.3. - 12.4.1993. 71 pages, Bremen, 1994.
- No. 45 Giese, M. and G. Wefer (ed.)**
Bericht über den 2. JGOFS-Workshop. 18./19. November 1993 in Bremen. 93 pages, Bremen, 1994.
- No. 46 Balzer, W. and cruise participants**
Report and preliminary results of METEOR-Cruise M 22/1, Hamburg - Recife, 22.9. - 21.10.1992. 24 pages, Bremen, 1994.
- No. 47 Stax, R.**
Zyklische Sedimentation von organischem Kohlenstoff in der Japan See: Anzeiger für Änderungen von Paläoozeanographie und Paläoklima im Spätkänozoikum. 150 pages, Bremen, 1994.
- No. 48 Skowronek, F.**
Frühdiagenetische Stoff-Flüsse gelöster Schwermetalle an der Oberfläche von Sedimenten des Weser Ästuars. 107 pages, Bremen, 1994.
- No. 49 Dersch-Hansmann, M.**
Zur Klimaentwicklung in Ostasien während der letzten 5 Millionen Jahre: Terrigener Sedimenteintrag in die Japan See (ODP Ausfahrt 128). 149 pages, Bremen, 1994.
- No. 50 Zabel, M.**
Frühdiagenetische Stoff-Flüsse in Oberflächen-Sedimenten des äquatorialen und östlichen Südatlantik. 129 pages, Bremen, 1994.
- No. 51 Bleil, U. and cruise participants**
Report and preliminary results of SONNE-Cruise SO 86, Buenos Aires - Capetown, 22.4. - 31.5.93. 116 pages, Bremen, 1994.
- No. 52 Symposium: The South Atlantic: Present and Past Circulation.**
Bremen, Germany, 15 - 19 August 1994. Abstracts. 167 pages, Bremen, 1994.
- No. 53 Kretzmann, U.B.**
⁵⁷Fe-Mössbauer-Spektroskopie an Sedimenten - Möglichkeiten und Grenzen. 183 pages, Bremen, 1994.
- No. 54 Bachmann, M.**
Die Karbonatrampe von Organya im oberen Oberapt und unteren Unteralb (NE-Spanien, Prov. Lerida): Fazies, Zyko- und Sequenzstratigraphie. 147 pages, Bremen, 1994. (out of print)
- No. 55 Kemle-von Mücke, S.**
Oberflächenwasserstruktur und -zirkulation des Südostatlantiks im Spätquartär. 151 pages, Bremen, 1994.
- No. 56 Petermann, H.**
Magnetotaktische Bakterien und ihre Magnetosome in Oberflächensedimenten des Südatlantiks. 134 pages, Bremen, 1994.
- No. 57 Mulitza, S.**
Spätquartäre Variationen der oberflächennahen Hydrographie im westlichen äquatorialen Atlantik. 97 pages, Bremen, 1994.
- No. 58 Segl, M. and cruise participants**
Report and preliminary results of METEOR-Cruise M 29/1, Buenos-Aires - Montevideo, 17.6. - 13.7.1994. 94 pages, Bremen, 1994.
- No. 59 Bleil, U. and cruise participants**
Report and preliminary results of METEOR-Cruise M 29/2, Montevideo - Rio de Janeiro. 15.7. - 8.8.1994. 153 pages, Bremen, 1994.
- No. 60 Henrich, R. and cruise participants**

- Report and preliminary results of METEOR-Cruise M 29/3, Rio de Janeiro - Las Palmas. 11.8. - 5.9.1994. Bremen, 1994. (out of print)
- No. 61** **Sagemann, J.**
Saisonale Variationen von Porenwasserprofilen, Nährstoff-Flüssen und Reaktionen in intertidalen Sedimenten des Weser-Ästuars. 110 pages, Bremen, 1994. (out of print)
- No. 62** **Giese, M. and G. Wefer**
Bericht über den 3. JGOFS-Workshop. 5./6. Dezember 1994 in Bremen. 84 pages, Bremen, 1995.
- No. 63** **Mann, U.**
Genese kretazischer Schwarzschiefer in Kolumbien: Globale vs. regionale/lokale Prozesse. 153 pages, Bremen, 1995. (out of print)
- No. 64** **Willems, H., Wan X., Yin J., Dongdui L., Liu G., S. Dürr, K.-U. Gräfe**
The Mesozoic development of the N-Indian passive margin and of the Xigaze Forearc Basin in southern Tibet, China. – Excursion Guide to IGCP 362 Working-Group Meeting "Integrated Stratigraphy". 113 pages, Bremen, 1995. (out of print)
- No. 65** **Hünken, U.**
Liefergebiets - Charakterisierung proterozoischer Goldseifen in Ghana anhand von Fluideinschluß - Untersuchungen. 270 pages, Bremen, 1995.
- No. 66** **Nyandwi, N.**
The Nature of the Sediment Distribution Patterns in ther Spiekeroog Backbarrier Area, the East Frisian Islands. 162 pages, Bremen, 1995.
- No. 67** **Isenbeck-Schröter, M.**
Transportverhalten von Schwermetallkationen und Oxoanionen in wassergesättigten Sanden. - Laborversuche in Säulen und ihre Modellierung -. 182 pages, Bremen, 1995.
- No. 68** **Hebbeln, D. and cruise participants**
Report and preliminary results of SONNE-Cruise SO 102, Valparaiso - Valparaiso, 95. 134 pages, Bremen, 1995.
- No. 69** **Willems, H. (Sprecher), U. Bathmann, U. Bleil, T. v. Dobeneck, K. Herterich, B.B. Jorgensen, E.-M. Nöthig, M. Olesch, J. Pätzold, H.D. Schulz, V. Smetacek, V. Speiß, G. Wefer**
Bericht des Graduierten-Kollegs Stoff-Flüsse in marine Geosystemen. Berichtszeitraum Januar 1993 - Dezember 1995.
45 & 468 pages, Bremen, 1995.
- No. 70** **Giese, M. and G. Wefer**
Bericht über den 4. JGOFS-Workshop. 20./21. November 1995 in Bremen. 60 pages, Bremen, 1996. (out of print)
- No. 71** **Meggers, H.**
Pliozän-quartäre Karbonatsedimentation und Paläozeanographie des Nordatlantiks und des Europäischen Nordmeeres - Hinweise aus planktischen Foraminiferengemeinschaften.
143 pages, Bremen, 1996. (out of print)
- No. 72** **Teske, A.**
Phylogenetische und ökologische Untersuchungen an Bakterien des oxidativen und reduktiven marin Schwerelkreislaufs mittels ribosomaler RNA. 220 pages, Bremen, 1996. (out of print)
- No. 73** **Andersen, N.**

- Biogeochemische Charakterisierung von Sinkstoffen und Sedimenten aus ostantlantischen Produktions-Systemen mit Hilfe von Biomarkern. 215 pages, Bremen, 1996.
- No. 74 Treppke, U.**
Saisonalität im Diatomeen- und Silikoflagellatenfluß im östlichen tropischen und subtropischen Atlantik. 200 pages, Bremen, 1996.
- No. 75 Schüring, J.**
Die Verwendung von Steinkohlebergematerialien im Deponiebau im Hinblick auf die Pyritverwitterung und die Eignung als geochemische Barriere. 110 pages, Bremen, 1996.
- No. 76 Pätzold, J. and cruise participants**
Report and preliminary results of VICTOR HENSEN cruise JOPS II, Leg 6, Fortaleza - Recife, 10.3. - 26.3. 1995 and Leg 8, Vitoria - Vitoria, 10.4. - 23.4.1995. 87 pages, Bremen, 1996.
- No. 77 Bleil, U. and cruise participants**
Report and preliminary results of METEOR-Cruise M 34/1, Cape Town - Walvis Bay, 3.-26.1.1996. 129 pages, Bremen, 1996.
- No. 78 Schulz, H.D. and cruise participants**
Report and preliminary results of METEOR-Cruise M 34/2, Walvis Bay - Walvis Bay, 29.1.-18.2.96. 133 pages, Bremen, 1996.
- No. 79 Wefer, G. and cruise participants**
Report and preliminary results of METEOR-Cruise M 34/3, Walvis Bay - Recife, 21.2.-17.3.1996. 168 pages, Bremen, 1996.
- No. 80 Fischer, G. and cruise participants**
Report and preliminary results of METEOR-Cruise M 34/4, Recife - Bridgetown, 19.3.-15.4.1996. 105 pages, Bremen, 1996.
- No. 81 Kulbrok, F.**
Biostratigraphie, Fazies und Sequenzstratigraphie einer Karbonatrampe in den Schichten der Oberkreide und des Alttertiärs Nordost-Ägyptens (Eastern Desert, N'Golf von Suez, Sinai). 153 pages, Bremen, 1996.
- No. 82 Kasten, S.**
Early Diagenetic Metal Enrichments in Marine Sediments as Documents of Nonsteady-State Depositional Conditions. Bremen, 1996.
- No. 83 Holmes, M.E.**
Reconstruction of Surface Ocean Nitrate Utilization in the Southeast Atlantic Ocean Based on Stable Nitrogen Isotopes. 113 pages, Bremen, 1996.
- No. 84 Röhlemann, C.**
Akkumulation von Carbonat und organischem Kohlenstoff im tropischen Atlantik: Spätquartäre Produktivitäts-Variationen und ihre Steuerungsmechanismen. 139 pages, Bremen, 1996.
- No. 85 Ratmeyer, V.**
Untersuchungen zum Eintrag und Transport lithogener und organischer partikulärer Substanz im östlichen subtropischen Nordatlantik. 154 pages, Bremen, 1996.
- No. 86 Cepek, M.**
Zeitliche und räumliche Variationen von Coccolithophoriden-Gemeinschaften im subtropischen Ost-Atlantik: Untersuchungen an Plankton, Sinkstoffen und Sedimenten. 156 pages, Bremen, 1996.
- No. 87 Otto, S.**
Die Bedeutung von gelöstem organischen Kohlenstoff (DOC) für den Kohlenstofffluß im Ozean. 150 pages, Bremen, 1996.

- No. 88 Hensen, C.**
Frühdiagenetische Prozesse und Quantifizierung benthischer Stoff-Flüsse in Oberflächensedimenten des Südatlantiks. 132 pages, Bremen, 1996.
- No. 89 Giese, M. and G. Wefer**
Bericht über den 5. JGOFS-Workshop. 27./28. November 1996 in Bremen. 73 pages, Bremen, 1997.
- No. 90 Wefer, G. and cruise participants**
Report and preliminary results of METEOR-Cruise M 37/1, Lisbon - Las Palmas, 4.-23.12.1996. 79 pages, Bremen, 1997.
- No. 91 Isenbeck-Schröter, M., E. Bedbur, M. Kofod, B. König, T. Schramm & G. Mattheß**
Occurrence of Pesticide Residues in Water - Assessment of the Current Situation in Selected EU Countries. 65 pages, Bremen 1997.
- No. 92 Kühn, M.**
Geochemische Folgereaktionen bei der hydrogeothermalen Energiegewinnung. 129 pages, Bremen 1997.
- No. 93 Determann, S. & K. Herterich**
JGOFS-A6 "Daten und Modelle": Sammlung JGOFS-relevanter Modelle in Deutschland. 26 pages, Bremen, 1997.
- No. 94 Fischer, G. and cruise participants**
Report and preliminary results of METEOR-Cruise M 38/1, Las Palmas - Recife, 25.1.-1.3.1997, with Appendix: Core Descriptions from METEOR Cruise M 37/1. Bremen, 1997.
- No. 95 Bleil, U. and cruise participants**
Report and preliminary results of METEOR-Cruise M 38/2, Recife - Las Palmas, 4.3.-14.4.1997. 126 pages, Bremen, 1997.
- No. 96 Neuer, S. and cruise participants**
Report and preliminary results of VICTOR HENSEN-Cruise 96/1. Bremen, 1997.
- No. 97 Villinger, H. and cruise participants**
Fahrtbericht SO 111, 20.8. - 16.9.1996. 115 pages, Bremen, 1997.
- No. 98 Lüning, S.**
Late Cretaceous - Early Tertiary sequence stratigraphy, paleoecology and geodynamics of Eastern Sinai, Egypt. 218 pages, Bremen, 1997.
- No. 99 Haese, R.R.**
Beschreibung und Quantifizierung frühdiagenetischer Reaktionen des Eisens in Sedimenten des Südatlantiks. 118 pages, Bremen, 1997.
- No. 100 Lührte, R. von**
Verwertung von Bremer Baggergut als Material zur Oberflächenabdichtung von Deponien - Geochemisches Langzeitverhalten und Schwermetall-Mobilität (Cd, Cu, Ni, Pb, Zn). Bremen, 1997.
- No. 101 Ebert, M.**
Der Einfluß des Redoxmilieus auf die Mobilität von Chrom im durchströmten Aquifer. 135 pages, Bremen, 1997.
- No. 102 Krögel, F.**
Einfluß von Viskosität und Dichte des Seewassers auf Transport und Ablagerung von Wattsedimenten (Langeooger Rückseitenwatt, südliche Nordsee). 168 pages, Bremen, 1997.
- No. 103 Kerntopf, B.**
Dinoflagellate Distribution Patterns and Preservation in the Equatorial Atlantic and Offshore North-West Africa. 137 pages, Bremen, 1997.
- No. 104 Breitzke, M.**

- Elastische Wellenausbreitung in marinen Sedimenten - Neue Entwicklungen der Ultraschall Sedimentphysik und Sedimentechographie. 298 pages, Bremen, 1997.
- No. 105 Marchant, M.**
Rezente und spätquartäre Sedimentation planktischer Foraminiferen im Peru-Chile Strom. 115 pages, Bremen, 1997.
- No. 106 Habicht, K.S.**
Sulfur isotope fractionation in marine sediments and bacterial cultures. 125 pages, Bremen, 1997.
- No. 107 Hamer, K., R.v. Lührte, G. Becker, T. Felis, S. Keffel, B. Strotmann, C. Waschkowitz, M. Kölling, M. Isenbeck-Schröter, H.D. Schulz**
Endbericht zum Forschungsvorhaben 060 des Landes Bremen: Baggergut der Hafengruppe Bremen-Stadt: Modelluntersuchungen zur Schwermetallmobilität und Möglichkeiten der Verwertung von Hafenschlick aus Bremischen Häfen. 98 pages, Bremen, 1997.
- No. 108 Greeff, O.W.**
Entwicklung und Erprobung eines benthischen Landersystems zur *in situ*-Bestimmung von Sulfatreduktionsraten mariner Sedimente. 121 pages, Bremen, 1997.
- No. 109 Pätzold, M. und G. Wefer**
Bericht über den 6. JGOFS-Workshop am 4./5.12.1997 in Bremen. Im Anhang: Publikationen zum deutschen Beitrag zur Joint Global Ocean Flux Study (JGOFS), Stand 1/1998. 122 pages, Bremen, 1998.
- No. 110 Landenberger, H.**
CoTReM, ein Multi-Komponenten Transport- und Reaktions-Modell. 142 pages, Bremen, 1998.
- No. 111 Villinger, H. und Fahrtteilnehmer**
Fahrtbericht SO 124, 4.10. - 16.10.1999. 90 pages, Bremen, 1997.
- No. 112 Gietl, R.**
Biostratigraphie und Sedimentationsmuster einer nordostägyptischen Karbonatrampe unter Berücksichtigung der Alveolin-Faunen. 142 pages, Bremen, 1998.
- No. 113 Ziebis, W.**
The Impact of the Thalassinidean Shrimp *Callianassa truncata* on the Geochemistry of permeable, coastal Sediments. 158 pages, Bremen 1998.
- No. 114 Schulz, H.D. and cruise participants**
Report and preliminary results of METEOR-Cruise M 41/1, Málaga - Libreville, 13.2.-15.3.1998. Bremen, 1998.
- No. 115 Völker, D.J.**
Untersuchungen an strömungsbeeinflußten Sedimentationsmustern im Südozean. Interpretation sedimentechographischer Daten und numerische Modellierung. 152 pages, Bremen, 1998.
- No. 116 Schlünz, B.**
Riverine Organic Carbon Input into the Ocean in Relation to Late Quaternary Climate Change. 136 pages, Bremen, 1998.
- No. 117 Kuhnert, H.**
Aufzeichnug des Klimas vor Westaustralien in stabilen Isotopen in Korallenskeletten. 109 pages, Bremen, 1998.
- No. 118 Kirst, G.**
Rekonstruktion von Oberflächenwassertemperaturen im östlichen Südatlantik anhand von Alkenonen. 130 pages, Bremen, 1998.

- No. 119 Dürkoop, A.**
Der Brasil-Strom im Spätquartär: Rekonstruktion der oberflächennahen Hydrographie während der letzten 400 000 Jahre. 121 pages, Bremen, 1998.
- No. 120 Lamy, F.**
Spätquartäre Variationen des terrigenen Sedimenteintrags entlang des chilenischen Kontinentalhangs als Abbild von Klimavariabilität im Milanković- und Sub-Milanković-Zeitbereich. 141 pages, Bremen, 1998.
- No. 121 Neuer, S. and cruise participants**
Report and preliminary results of POSEIDON-Cruise Pos 237/2, Vigo – Las Palmas, 18.3.-31.3.1998. 39 pages, Bremen, 1998
- No. 122 Romero, O.E.**
Marine planktonic diatoms from the tropical and equatorial Atlantic: temporal flux patterns and the sediment record. 205 pages, Bremen, 1998.
- No. 123 Spiess, V. und Fahrtteilnehmer**
Report and preliminary results of RV SONNE Cruise 125, Cochin – Chittagong, 17.10.-17.11.1997. 128 pages, Bremen, 1998.
- No. 124 Arz, H.W.**
Dokumentation von kurzfristigen Klimaschwankungen des Spätquartärs in Sedimenten des westlichen äquatorialen Atlantiks. 96 pages, Bremen, 1998.
- No. 125 Wolff, T.**
Mixed layer characteristics in the equatorial Atlantic during the late Quaternary as deduced from planktonic foraminifera. 132 pages, Bremen, 1998.
- No. 126 Dittert, N.**
Late Quaternary Planktic Foraminifera Assemblages in the South Atlantic Ocean: Quantitative Determination and Preservational Aspects. 165 pages, Bremen, 1998.
- No. 127 Höll, C.**
Kalkige und organisch-wandige Dinoflagellaten-Zysten in Spätquartären Sedimenten des tropischen Atlantiks und ihre palökologische Auswertbarkeit. 121 pages, Bremen, 1998.
- No. 128 Hencke, J.**
Redoxreaktionen im Grundwasser: Etablierung und Verlagerung von Reaktionsfronten und ihre Bedeutung für die Spurenelement-Mobilität. 122 pages, Bremen 1998.
- No. 129 Pätzold, J. and cruise participants**
Report and preliminary results of METEOR-Cruise M 41/3, Vitoria, Brasil – Salvador de Bahia, Brasil, 18.4. - 15.5.1998. Bremen, 1999.
- No. 130 Fischer, G. and cruise participants**
Report and preliminary results of METEOR-Cruise M 41/4, Salvador de Bahia, Brasil – Las Palmas, Spain, 18.5. – 13.6.1998. Bremen, 1999.
- No. 131 Schlünz, B. und G. Wefer**
Bericht über den 7. JGOFS-Workshop am 3. und 4.12.1998 in Bremen. Im Anhang: Publikationen zum deutschen Beitrag zur Joint Global Ocean Flux Study (JGOFS), Stand 1/ 1999. 100 pages, Bremen, 1999.
- No. 132 Wefer, G. and cruise participants**
Report and preliminary results of METEOR-Cruise M 42/4, Las Palmas - Las Palmas - Viana do Castelo; 26.09.1998 - 26.10.1998. 104 pages, Bremen, 1999.
- No. 133 Felis, T.**
Climate and ocean variability reconstructed from stable isotope records of modern subtropical corals (Northern Red Sea). 111 pages, Bremen, 1999.
- No. 134 Draschba , S.**

- North Atlantic climate variability recorded in reef corals from Bermuda. 108 pages, Bremen, 1999.
- No. 135 Schmieder, F.**
Magnetic Cyclostratigraphy of South Atlantic Sediments. 82 pages, Bremen, 1999.
- No. 136 Rieß, W.**
In situ measurements of respiration and mineralisation processes – Interaction between fauna and geochemical fluxes at active interfaces. 68 pages, Bremen, 1999.
- No. 137 Devey, C.W. and cruise participants**
Report and shipboard results from METEOR-cruise M 41/2, Libreville – Vitoria, 18.3. – 15.4.98. 59 pages, Bremen, 1999.
- No. 138 Wenzhöfer, F.**
Biogeochemical processes at the sediment water interface and quantification of metabolically driven calcite dissolution in deep sea sediments. 103 pages, Bremen, 1999.
- No. 139 Klump, J.**
Biogenic barite as a proxy of paleoproductivity variations in the Southern Peru-Chile Current. 107 pages, Bremen, 1999.
- No. 140 Huber, R.**
Carbonate sedimentation in the northern Northatlantic since the late pliocene. 103 pages, Bremen, 1999.
- No. 141 Schulz, H.**
Nitrate-storing sulfur bacteria in sediments of coastal upwelling. 94 pages, Bremen, 1999.
- No. 142 Mai, S.**
Die Sedimentverteilung im Wattenmeer: ein Simulationsmodell. 114 pages, Bremen, 1999.
- No. 143 Neuer, S. and cruise participants**
Report and preliminary results of Poseidon Cruise 248, Las Palmas - Las Palmas, 15.2.-26.2.1999.
45 pages, Bremen, 1999.
- No. 144 Weber, A.**
Schwefelkreislauf in marinen Sedimenten und Messung von in situ Sulfatreduktionsraten. 122 pages, Bremen, 1999.
- No. 145 Hadeler, A.**
Sorptionsreaktionen im Grundwasser: Unterschiedliche Aspekte bei der Modellierung des Transportverhaltens von Zink. 122 pages, 1999.
- No. 146 Dierßen, H.**
Zum Kreislauf ausgewählter Spurenmetalle im Südatlantik: Vertikaltransport und Wechselwirkung zwischen Partikeln und Lösung. 167 pages, Bremen, 1999.
- No. 147 Zühlendorff, L.**
High resolution multi-frequency seismic surveys at the Eastern Juan de Fuca Ridge Flank and the Cascadia Margin – Evidence for thermally and tectonically driven fluid upflow in marine sediments. 118 pages, Bremen 1999.
- No. 148 Kinkel, H.**
Living and late Quaternary Coccolithophores in the equatorial Atlantic Ocean: response of distribution and productivity patterns to changing surface water circulation. 183 pages, Bremen, 2000.
- No. 149 Pätzold, J. and cruise participants**

- Report and preliminary results of METEOR Cruise M 44/3, Aqaba (Jordan) - Safaga (Egypt) – Dubá (Saudi Arabia) – Suez (Egypt) - Haifa (Israel), 12.3.-26.3.-2.4.-4.4.1999. 135 pages, Bremen, 2000.
- No. 150 Schlünz, B. and G. Wefer**
Bericht über den 8. JGOFS-Workshop am 2. und 3.12.1999 in Bremen. Im Anhang: Publikationen zum deutschen Beitrag zur Joint Global Ocean Flux Study (JGOFS), Stand 1/ 2000.
95 pages, Bremen, 2000.
- No. 151 Schnack, K.**
Biostratigraphie und fazielle Entwicklung in der Oberkreide und im Alttertiär im Bereich der Kharga Schwelle, Westliche Wüste, SW-Ägypten. 142 pages, Bremen, 2000.
- No. 152 Karwath, B.**
Ecological studies on living and fossil calcareous dinoflagellates of the equatorial and tropical Atlantic Ocean. 175 pages, Bremen, 2000.
- No. 153 Moustafa, Y.**
Paleoclimatic reconstructions of the Northern Red Sea during the Holocene inferred from stable isotope records of modern and fossil corals and molluscs. 102 pages, Bremen, 2000.
- No. 154 Villinger, H. and cruise participants**
Report and preliminary results of SONNE-cruise 145-1 Balboa – Talcahuana, 21.12.1999 – 28.01.2000. 147 pages, Bremen, 2000.
- No. 155 Rusch, A.**
Dynamik der Feinfraktion im Oberflächenhorizont permeabler Schelfsedimente. 102 pages, Bremen, 2000.
- No. 156 Moos, C.**
Reconstruction of upwelling intensity and paleo-nutrient gradients in the northwest Arabian Sea derived from stable carbon and oxygen isotopes of planktic foraminifera. 103 pages, Bremen, 2000.
- No. 157 Xu, W.**
Mass physical sediment properties and trends in a Wadden Sea tidal basin. 127 pages, Bremen, 2000.
- No. 158 Meinecke, G. and cruise participants**
Report and preliminary results of METEOR Cruise M 45/1, Malaga (Spain) - Lissabon (Portugal), 19.05. - 08.06.1999. 39 pages, Bremen, 2000.
- No. 159 Vink, A.**
Reconstruction of recent and late Quaternary surface water masses of the western subtropical Atlantic Ocean based on calcareous and organic-walled dinoflagellate cysts. 160 pages, Bremen, 2000.
- No. 160 Willems, H. (Sprecher), U. Bleil, R. Henrich, K. Herterich, B.B. Jørgensen, H.-J. Kuß,
M. Olesch, H.D. Schulz, V. Spieß, G. Wefer**
Abschlußbericht des Graduierten-Kollegs Stoff-Flüsse in marine Geosystemen. Zusammenfassung und Berichtszeitraum Januar 1996 - Dezember 2000. 340 pages, Bremen, 2000.

- No. 161 Sprengel, C.**
Untersuchungen zur Sedimentation und Ökologie von Coccolithophoriden im Bereich der Kanarischen Inseln: Saisonale Flussmuster und Karbonatexport. 165 pages, Bremen, 2000.
- No. 162 Donner, B. and G. Wefer**
Bericht über den JGOFS-Workshop am 18.-21.9.2000 in Bremen:
Biogeochemical Cycles: German Contributions to the International Joint Global Ocean Flux Study. 87 pages, Bremen, 2000.
- No. 163 Neuer, S. and cruise participants**
Report and preliminary results of Meteor Cruise M 45/5, Bremen – Las Palmas, October 1 – November 3, 1999. 93 pages, Bremen, 2000.
- No. 164 Devey, C. and cruise participants**
Report and preliminary results of Sonne Cruise SO 145/2, Talcahuano (Chile) - Arica (Chile), February 4 – February 29, 2000. 63 pages, Bremen, 2000.
- No. 165 Freudenthal, T.**
Reconstruction of productivity gradients in the Canary Islands region off Morocco by means of sinking particles and sediments. 147 pages, Bremen, 2000.
- No. 166 Adler, M.**
Modeling of one-dimensional transport in porous media with respect to simultaneous geochemical reactions in CoTReM. 147 pages, Bremen, 2000.
- No. 167 Santamarina Cuneo, P.**
Fluxes of suspended particulate matter through a tidal inlet of the East Frisian Wadden Sea (southern North Sea). 91 pages, Bremen, 2000.
- No. 168 Benthien, A.**
Effects of CO₂ and nutrient concentration on the stable carbon isotope composition of C37:2 alkenones in sediments of the South Atlantic Ocean. 104 pages, Bremen, 2001.
- No. 169 Lavik, G.**
Nitrogen isotopes of sinking matter and sediments in the South Atlantic. 140 pages, Bremen, 2001.
- No. 170 Budziak, D.**
Late Quaternary monsoonal climate and related variations in paleoproductivity and alkenone-derived sea-surface temperatures in the western Arabian Sea. 114 pages, Bremen, 2001.
- No. 171 Gerhardt, S.**
Late Quaternary water mass variability derived from the pteropod preservation state in sediments of the western South Atlantic and the Caribbean Sea. 109 pages, Bremen, 2001.
- No. 172 Bleil, U. and cruise participants**
Report and preliminary results of Meteor Cruise M 46/3, Montevideo (Uruguay) – Mar del Plata (Argentina), January 4 – February 7, 2000. Bremen, 2001.
- No. 173 Wefer, G. and cruise participants**
Report and preliminary results of Meteor Cruise M 46/4, Mar del Plata (Argentina) – Salvador da Bahia (Brazil), February 10 – March 13, 2000. With partial results of METEOR cruise M 46/2. 136 pages, Bremen, 2001.
- No. 174 Schulz, H.D. and cruise participants**
Report and preliminary results of Meteor Cruise M 46/2, Recife (Brazil) – Montevideo (Uruguay), December 2 – December 29, 1999. 107 pages, Bremen, 2001.
- No. 175 Schmidt, A.**

- Magnetic mineral fluxes in the Quaternary South Atlantic: Implications for the paleoenvironment. 97 pages, Bremen, 2001.
- No. 176 Bruhns, P.**
Crystal chemical characterization of heavy metal incorporation in brick burning processes. 93 pages, Bremen, 2001.
- No. 177 Karius, V.**
Baggergut der Hafengruppe Bremen-Stadt in der Ziegelherstellung. 131 pages, Bremen, 2001.
- No. 178 Adegbie, A. T.**
Reconstruction of paleoenvironmental conditions in Equatorial Atlantic and the Gulf of Guinea Basins for the last 245,000 years. 113 pages, Bremen, 2001.
- No. 179 Spieß, V. and cruise participants**
Report and preliminary results of R/V Sonne Cruise SO 149, Victoria - Victoria, 16.8. - 16.9.2000. 100 pages, Bremen, 2001.
- No. 180 Kim, J.-H.**
Reconstruction of past sea-surface temperatures in the eastern South Atlantic and the eastern South Pacific across Termination I based on the Alkenone Method. 114 pages, Bremen, 2001.
- No. 181 von Lom-Keil, H.**
Sedimentary waves on the Namibian continental margin and in the Argentine Basin – Bottom flow reconstructions based on high resolution echosounder data. 126 pages, Bremen, 2001.
- No. 182 Hebbeln, D. and cruise participants**
PUCK: Report and preliminary results of R/V Sonne Cruise SO 156, Valparaiso (Chile) - Talcahuano (Chile), March 29 - May 14, 2001. 195 pages, Bremen, 2001.
- No. 183 Wendler, J.**
Reconstruction of astronomically-forced cyclic and abrupt paleoecological changes in the Upper Cretaceous Boreal Realm based on calcareous dinoflagellate cysts. 149 pages, Bremen, 2001.
- No. 184 Volbers, A.**
Planktic foraminifera as paleoceanographic indicators: production, preservation, and reconstruction of upwelling intensity. Implications from late Quaternary South Atlantic sediments. 122 pages, Bremen, 2001.
- No. 185 Bleil, U. and cruise participants**
Report and preliminary results of R/V METEOR Cruise M 49/3, Montevideo (Uruguay) - Salvador (Brasil), March 9 - April 1, 2001. 99 pages, Bremen, 2001.
- No. 186 Scheibner, C.**
Architecture of a carbonate platform-to-basin transition on a structural high (Campanian-early Eocene, Eastern Desert, Egypt) – classical and modelling approaches combined. 173 pages, Bremen, 2001.
- No. 187 Schneider, S.**
Quartäre Schwankungen in Strömungsintensität und Produktivität als Abbild der Wassermassen-Variabilität im äquatorialen Atlantik (ODP Sites 959 und 663): Ergebnisse aus Siltkorn-Analysen. 134 pages, Bremen, 2001.
- No. 188 Uliana, E.**
Late Quaternary biogenic opal sedimentation in diatom assemblages in Kongo Fan sediments. 96 pages, Bremen, 2002.
- No. 189 Esper, O.**

- Reconstruction of Recent and Late Quaternary oceanographic conditions in the eastern South Atlantic Ocean based on calcareous- and organic-walled dinoflagellate cysts. 130 pages, Bremen, 2001.
- No. 190 Wendler, I.**
Production and preservation of calcareous dinoflagellate cysts in the modern Arabian Sea. 117 pages, Bremen, 2002.
- No. 191 Bauer, J.**
Late Cenomanian – Santonian carbonate platform evolution of Sinai (Egypt): stratigraphy, facies, and sequence architecture. 178 pages, Bremen, 2002.
- No. 192 Hildebrand-Habel, T.**
Die Entwicklung kalkiger Dinoflagellaten im Südatlantik seit der höheren Oberkreide. 152 pages, Bremen, 2002.
- No. 193 Hecht, H.**
Sauerstoff-Optopoden zur Quantifizierung von Pyritverwitterungsprozessen im Labor- und Langzeit-in-situ-Einsatz. Entwicklung - Anwendung – Modellierung. 130 pages, Bremen, 2002.
- No. 194 Fischer, G. and cruise participants**
Report and Preliminary Results of RV METEOR-Cruise M49/4, Salvador da Bahia – Halifax, 4.4.-5.5.2001. 84 pages, Bremen, 2002.
- No. 195 Gröger, M.**
Deep-water circulation in the western equatorial Atlantic: inferences from carbonate preservation studies and silt grain-size analysis. 95 pages, Bremen, 2002.
- No. 196 Meinecke, G. and cruise participants**
Report of RV POSEIDON Cruise POS 271, Las Palmas - Las Palmas, 19.3.-29.3.2001. 19 pages, Bremen, 2002.
- No. 197 Meggers, H. and cruise participants**
Report of RV POSEIDON Cruise POS 272, Las Palmas - Las Palmas, 1.4.-14.4.2001. 19 pages, Bremen, 2002.
- No. 198 Gräfe, K.-U.**
Stratigraphische Korrelation und Steuerungsfaktoren Sedimentärer Zyklen in ausgewählten Borealen und Tethyalen Becken des Cenoman/Turon (Oberkreide) Europas und Nordwestafrikas. 197 pages, Bremen, 2002.
- No. 199 Jahn, B.**
Mid to Late Pleistocene Variations of Marine Productivity in and Terrigenous Input to the Southeast Atlantic. 97 pages, Bremen, 2002.
- No. 200 Al-Rousan, S.**
Ocean and climate history recorded in stable isotopes of coral and foraminifers from the northern Gulf of Aqaba. 116 pages, Bremen, 2002.
- No. 201 Azouzi, B.**
Regionalisierung hydraulischer und hydrogeochemischer Daten mit geostatistischen Methoden. 108 pages, Bremen, 2002.
- No. 202 Spieß, V. and cruise participants**
Report and preliminary results of METEOR Cruise M 47/3, Libreville (Gabun) - Walvis Bay (Namibia), 01.06 - 03.07.2000. 70 pages, Bremen 2002.
- No. 203 Spieß, V. and cruise participants**
Report and preliminary results of METEOR Cruise M 49/2, Montevideo (Uruguay) - Montevideo, 13.02 - 07.03.2001. 84 pages, Bremen 2002.
- No. 204 Mollenhauer, G.**
Organic carbon accumulation in the South Atlantic Ocean: Sedimentary processes and glacial/interglacial Budgets. 139 pages, Bremen 2002.

- No. 205 Spieß, V. and cruise participants**
Report and preliminary results of METEOR Cruise M49/1, Cape Town (South Africa) - Montevideo (Uruguay), 04.01.2001 - 10.02.2001. 57 pages, Bremen, 2003.
- No. 206 Meier, K.J.S.**
Calcareous dinoflagellates from the Mediterranean Sea: taxonomy, ecology and palaeoenvironmental application. 126 pages, Bremen, 2003.
- No. 207 Rakic, S.**
Untersuchungen zur Polymorphie und Kristallchemie von Silikaten der Zusammensetzung $\text{Me}_2\text{Si}_2\text{O}_5$ (Me:Na, K). 139 pages, Bremen, 2003.
- No. 208 Pfeifer, K.**
Auswirkungen frühdiagenetischer Prozesse auf Calcit- und Barytgehalte in marinen Oberflächensedimenten. 110 pages, Bremen, 2003.
- No. 209 Heuer, V.**
Spurenelemente in Sedimenten des Südatlantik. Primärer Eintrag und frühdiagenetische Überprägung. 136 pages, Bremen, 2003.
- No. 210 Streng, M.**
Phylogenetic Aspects and Taxonomy of Calcareous Dinoflagellates. 157 pages, Bremen 2003.
- No. 211 Boeckel, B.**
Present and past coccolith assemblages in the South Atlantic: implications for species ecology, carbonate contribution and palaeoceanographic applicability. 157 pages, Bremen, 2003.
- No. 212 Precht, E.**
Advectional interfacial exchange in permeable sediments driven by surface gravity waves and its ecological consequences. 131 pages, Bremen, 2003.
- No. 213 Frenz, M.**
Grain-size composition of Quaternary South Atlantic sediments and its paleoceanographic significance. 123 pages, Bremen, 2003.
- No. 214 Meggers, H. and cruise participants**
Report and preliminary results of METEOR Cruise M 53/1, Limassol - Las Palmas – Mindelo, 30.03.2002 - 03.05.2002. 81 pages, Bremen, 2003.
- No. 215 Schulz, H.D. and cruise participants**
Report and preliminary results of METEOR Cruise M 58/1, Dakar – Las Palmas, 15.04..2003 - 12.05.2003. Bremen, 2003.
- No. 216 Schneider, R. and cruise participants**
Report and preliminary results of METEOR Cruise M 57/1, Cape Town – Walvis Bay, 20.01. – 08.02.2003. 123 pages, Bremen, 2003.
- No. 217 Kallmeyer, J.**
Sulfate reduction in the deep Biosphere. 157 pages, Bremen, 2003.
- No. 218 Røy, H.**
Dynamic Structure and Function of the Diffusive Boundary Layer at the Seafloor. 149 pages, Bremen, 2003.
- No. 219 Pätzold, J., C. Hübscher and cruise participants**
Report and preliminary results of METEOR Cruise M 52/2&3, Istanbul – Limassol – Limassol, 04.02. – 27.03.2002. Bremen, 2003.
- No. 220 Zabel, M. and cruise participants**
Report and preliminary results of METEOR Cruise M 57/2, Walvis Bay – Walvis Bay, 11.02. – 12.03.2003. 136 pages, Bremen 2003.
- No. 221 Salem, M.**

- Geophysical investigations of submarine prolongations of alluvial fans on the western side of the Gulf of Aqaba-Red Sea. 100 pages, Bremen, 2003.
- No. 222 Tilch, E.**
Oszillation von Wattflächen und deren fossiles Erhaltungspotential (Spiekerooger Rückseitenwatt, südliche Nordsee). 137 pages, Bremen, 2003.
- No. 223 Frisch, U. and F. Kockel**
Der Bremen-Knoten im Strukturnetz Nordwest-Deutschlands. Stratigraphie, Paläogeographie, Strukturgeologie. 379 pages, Bremen, 2004.
- No. 224 Kolonic, S.**
Mechanisms and biogeochemical implications of Cenomanian/Turonian black shale formation in North Africa: An integrated geochemical, millennial-scale study from the Tarfaya-LaAyoune Basin in SW Morocco. 174 pages, Bremen, 2004. Report online available only.
- No. 225 Panteleit, B.**
Geochemische Prozesse in der Salz- Süßwasser Übergangszone. 106 pages, Bremen, 2004.
- No. 226 Seiter, K.**
Regionalisierung und Quantifizierung benthischer Mineralisationsprozesse. 135 pages, Bremen, 2004.
- No. 227 Bleil, U. and cruise participants**
Report and preliminary results of METEOR Cruise M 58/2, Las Palmas – Las Palmas (Canary Islands, Spain), 15.05. – 08.06.2003. 123 pages, Bremen, 2004.
- No. 228 Kopf, A. and cruise participants**
Report and preliminary results of SONNE Cruise SO175, Miami - Bremerhaven, 12.11 - 30.12.2003. 218 pages, Bremen, 2004.
- No. 229 Fabian, M.**
Near Surface Tilt and Pore Pressure Changes Induced by Pumping in Multi-Layered Poroelastic Half-Spaces. 121 pages, Bremen, 2004.
- No. 230 Segl, M. , and cruise participants**
Report and preliminary results of POSEIDON cruise 304 Galway – Lisbon, 5. – 22. Oct. 2004. 27 pages, Bremen 2004
- No. 231 Meinecke, G. and cruise participants**
Report and preliminary results of POSEIDON Cruise 296, Las Palmas – Las Palmas, 04.04 - 14.04.2003. 42 pages, Bremen 2005.
- No. 232 Meinecke, G. and cruise participants**
Report and preliminary results of POSEIDON Cruise 310, Las Palmas – Las Palmas, 12.04 - 26.04.2004. 49 pages, Bremen 2005.
- No. 233 Meinecke, G. and cruise participants**
Report and preliminary results of METEOR Cruise 58/3, Las Palmas - Ponta Delgada, 11.06 - 24.06.2003. 50 pages, Bremen 2005.
- No. 234 Feseker, T.**
Numerical Studies on Groundwater Flow in Coastal Aquifers. 219 pages. Bremen 2004.
- No. 235 Sahling, H. and cruise participants**
Report and preliminary results of R/V POSEIDON Cruise P317/4, Istanbul-Istanbul, 16 October - 4 November 2004. 92 pages, Bremen 2004.
- No. 236 Meinecke, G. und Fahrtteilnehmer**
Report and preliminary results of POSEIDON Cruise 305, Las Palmas (Spain) - Lisbon (Portugal), October 28th – November 6th, 2004. 43 pages, Bremen 2005.
- No. 237 Ruhland, G. and cruise participants**

Report and preliminary results of POSEIDON Cruise 319, Las Palmas (Spain) - Las Palmas (Spain), December 6th – December 17th, 2004. 50 pages, Bremen 2005.

No. 238 Chang, T.S.

Dynamics of fine-grained sediments and stratigraphic evolution of a back-barrier tidal basin of the German Wadden Sea (southern North Sea). 102 pages, Bremen 2005.

No. 239 Lager, T.

Predicting the source strength of recycling materials within the scope of a seepage water prognosis by means of standardized laboratory methods. 141 pages, Bremen 2005.

No. 240 Meinecke, G.

DOLAN - Operationelle Datenübertragung im Ozean und Laterales Akustisches Netzwerk in der Tiefsee. Abschlußbericht. 42 pages, Bremen 2005.

No. 241 Guasti, E.

Early Paleogene environmental turnover in the southern Tethys as recorded by foraminiferal and organic-walled dinoflagellate cysts assemblages. 203 pages, Bremen 2005.

No. 242 Riedinger, N.

Preservation and diagenetic overprint of geochemical and geophysical signals in ocean margin sediments related to depositional dynamics. 91 pages, Bremen 2005.

No. 243 Ruhland, G. and cruise participants

Report and preliminary results of POSEIDON cruise 320, Las Palmas (Spain) - Las Palmas (Spain), March 08th - March 18th, 2005. 57 pages, Bremen 2005.

No. 244 Inthorn, M.

Lateral particle transport in nepheloid layers – a key factor for organic matter distribution and quality in the Benguela high-productivity area. 127 pages, Bremen, 2006.

No. 245 Aspetsberger, F.

Benthic carbon turnover in continental slope and deep sea sediments: importance of organic matter quality at different time scales. 136 pages, Bremen, 2006.

No. 246 Hebbeln, D. and cruise participants

Report and preliminary results of RV SONNE Cruise SO-184, PABESIA, Durban (South Africa) – Cilacap (Indonesia) – Darwin (Australia), July 08th - September 13th, 2005. 142 pages, Bremen 2006.

No. 247 Ratmeyer, V. and cruise participants

Report and preliminary results of RV METEOR Cruise M61/3. Development of Carbonate Mounds on the Celtic Continental Margin, Northeast Atlantic. Cork (Ireland) – Ponta Delgada (Portugal), 04.06. – 21.06.2004. 64 pages, Bremen 2006.

No. 248 Wien, K.

Element Stratigraphy and Age Models for Pelagites and Gravity Mass Flow Deposits based on Shipboard XRF Analysis. 100 pages, Bremen 2006.

No. 249 Krastel, S. and cruise participants

Report and preliminary results of RV METEOR Cruise M65/2, Dakar - Las Palmas, 04.07. - 26.07.2005. 185 pages, Bremen 2006.

No. 250 Heil, G.M.N.

Abrupt Climate Shifts in the Western Tropical to Subtropical Atlantic Region during the Last Glacial. 121 pages, Bremen 2006.

No. 251 Ruhland, G. and cruise participants

- Report and preliminary results of POSEIDON Cruise 330, Las Palmas – Las Palmas, November 21th – December 03rd, 2005. 48 pages, Bremen 2006.
- No. 252 Mulitza , S. and cruise participants**
Report and preliminary results of METEOR Cruise M65/1, Dakar – Dakar, 11.06.- 1.07.2005. 149 pages, Bremen 2006.
- No. 253 Kopf, A. and cruise participants**
Report and preliminary results of POSEIDON Cruise P336, Heraklion - Heraklion, 28.04. – 17.05.2006. 127 pages, Bremen, 2006.
- No. 254 Wefer, G. and cruise participants**
Report and preliminary results of R/V METEOR Cruise M65/3, Las Palmas - 'Las Palmas (Spain), July 31st - August 10th, 2005. 24 pages, Bremen 2006.
- No. 255 Hanebuth, T.J.J. and cruise participants**
Report and first results of the POSEIDON Cruise P342 GALIOMAR, Vigo – Lisboa (Portugal), August 19th – September 06th, 2006. Distribution Pattern, Residence Times and Export of Sediments on the Pleistocene/Holocene Galician Shelf (NW Iberian Peninsula). 203 pages, Bremen, 2007.
- No. 256 Ahke, A.**
Composition of molecular organic matter pools, pigments and proteins, in Benguela upwelling and Arctic Sediments. 192 pages, Bremen 2007.
- No. 257 Becker, V.**
Seeper - Ein Modell für die Praxis der Sickerwasserprognose. 170 pages, Bremen 2007.